WORKERS COMPENSATION BOARD COLUMBIA 6951 Westminster Highway, Richmond, B.C. Mailing Address: PO Box 5350, Vancouver, B.C., V6B 5L5 Telephone: 604 276-3100 Toll Free: 1-888-621-7233 Fax: 604 276-3247

An employer who fails to comply with Occupational Health and Safety Regulations or Board orders or directions is subject to sanctions as prescribed in the Workers Compensation Act,

ingtional Health and Safety Regulations require that one conv. of this report remain poeted in a conspicuous place at or poet the

Report Da	ite	:	Number	Employee Number	Number of Orders			Employer	Location
2000-02	-01	2000	090580084		6			4000	034
Number of Workers	Shift	Pre	oject Type	Project	Number	Closure Imposed	Closure Removed	Classification Unit Number	SIC
140	1							841102	8250
Lab Samples Taken	,	ect iings	Results Presented	Sampling	Inspection]		Assisting E	nployees
N		N	N						

Head Office	Job Site
PROVINCIAL GOVERNMENT PUBLIC SERVICE EMPLOYEE REL COM 548 MICHIGAN ST VICTORIA BC V8V 1S3	MINISTRY OF ATTORNEY-GENERAL KAMLOOPS REGIONAL CORRECTIONS FACILITY WEST TRANS-CANADA HIGHWAY KAMLOOPS BC
Portion JOBSITE Inspected PARTIAL	Principal Contractor SAME
Type of Industry GOV'T	
tions REFER TO ORDERS ON FOLLOWING PAGE	(S)
Employer Representative Name	Accompanied By Employer Representative
P. TILT	K. CONWAY
Employer Representative Position	Accompanied By Worker Representative
DIRECTOR OPERATIONS	C. KHUNKHUN
Telephone Number	Organization
	BCGEU
Signature	Officer of the Board / Signature
	MACPHERSON, COLIN
Administra	ation Notes

WORKERS COMPENSATION BOARD 怨悶調點

6951 Westminster Highway, Richmond, B.C. Mailing Address: PO Box 5350, Vancouver, B.C., V6B 5L5 Telephone: 604 276-3100 Toll Free: 1-888-621-7233 Fax: 604 276-3247

INSPECTION REPORT

PREVENTION DIVISION

An employer who fails to comply with Occupational Health and Safety Regulations or Board orders or directions is subject to sanctions as prescribed in the Workers Compensation Act,

Occupational Health and Safety Regulations require that one copy of this report remain posted in a conspicuous place at or neal operation inspected for at least seven days, or until compliance has been achieved, whichever is the longer period.

A request for a review of the orders in this report may be submitted to the Prevention Division within 60 calendar days of the date of this report. The time cannot be extended.

Report Date	Number	Employee Number	Employer
2000-02-01	2000090580084		PROVINCIAL GOVERNMENT

Inspection Text

ROUTE SLIP - RE; NON-COMPLIANCE WITH ETS REGULATIONS.
INSPECTION OF COMPLETE FACILITY CONDUCTED AND I OBSERVED NO EVIDENCE OF WORKER/EMPLOYER NON-COMPLIANCE.
THERE ARE NUMEROUS WORKER CONCERNS RE. INADEQUATE VENTILLATION WITH RESPECT TO INMATE ETS, FROM LIVING UNIT CELLS ENTERING THE CORRECTION OFFICER'S WORK AREAS.
THESE VENTILLATIONS CONCERNS WILL BE REFERRED TO THE AREA OCCUPATIONAL HEALTH OFFICER TO DETERMINE IF ADEQUATE VENTILLATION IS PROVIDED.

Employer Representative	Officer of the Board
	MACPHERSON, COLIN

WORKERS COMPENSATION BOARD OF BRATISH COLUMBIA 6951 Westminster Highway, Richmond, B.C. Mailing Address: PO Box 5350, Vancouver, B.C., V6B 5L5 Telephone: 604 276-3100 Toll Free: 1-888-621-7233 Fax: 604 276-3247

INSPECTION REPORT

PREVENTION DIVISION

An employer who fails to comply with Occupational Health and Safety Regulations or Board orders or directions is subject to sanctions as prescribed in the Workers Compensation Act,

upational Health and Safety Regulations require that one copy of this report remain posted in a conspicuous place at or near the ation inspected for at least seven days, or until compliance has been achieved, whichever is the longer period.

THE date of this report. The time cannot be extended. When the control to extended the control within the control to extended the control to		A rec	quest for a realize of this real	eview of the	orders in	this report may b	e submitted to the F	revention Division	nger period. 1 within 60 calendar days of
Decision PROVINCIAL GOVERNMENT		1		1				Employe	P
FOOD SERVICES - THE GREASE TRAYS ON THE GRILLS ARE LEAKING, AND GREASE IS DRIPPING GOTTO THE FLOORS, CAUSING A SLIPPING HAZARD. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.41. THE GREASE TRAYS SHALL BE REPAIRED OR REPLACED. Order 2 Decision F Weck Reference OHS 4 39 (1) WOODWORKING SHOP - THE FLOOR SURFACE IS EXTREMELY SLIPPERY, POSING A SLIPPING HAZARD. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.39(1). A MEANS SHALL BE PROVIDED TO ELIMINATE THE SLIPPING HAZARD. Order Number 3 Decision F Weck Reference OHS 4 1 LIVING UNITS - A NUMBER OF THE CHAIRS USED AT THE CORRECTION OFFICERS EBSKS ARE BROKEN AND DAMAGED. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.1. THE CHAIRS SHALL BE ADEQUATELY REPAIRED OR REPLACED. Order 4 Decision F Weck Reference OHS 4 39 (1) CHAPEL - THE CARPETING IS TORN AND LIFTED, POSING A TRIPPING HAZARD. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.39(1). FLOORS, STAIRS AND WALKWAYS AVAILABLE FOR USE BY WORKERS MUST BE MAINTAINED IN A STATE OF GOOD REPAIR AND KEPT FREE OF SLIPPING AND TRIPPING HAZARDS. Employer Representative Officer of the Board		200	0-02-01	2000090					
THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4, 41. THE GREASE TRAYS SHALL BE REPAIRED OR REPLACED. Order Number 2 Decision F WCE Reference OHS 4 39 (1) Action Due Date WOODWORKING SHOP - THE FLOOR SURFACE IS EXTREMELY SLIPPERY, POSING A THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4, 39(1). A MEANS SHALL BE PROVIDED TO ELIMINATE THE SLIPPING HAZARD. Order 3 Decision F WCE Reference OHS 4 1 Action Due Date LIVING UNITS - A NUMBER OF THE CHAIRS USED AT THE CORRECTION OFFICERS DESKS ARE BROKEN AND DAMAGED. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4, 1. THE CHAIRS SHALL BE ADEQUATELY REPAIRED OR REPLACED. Octor 4 Decision F WCE Reference OHS 4 39 (1) Action Due Date CHAPEL - THE CARPETING IS TORN AND LIFTED, POSING A TRIPPING HAZARD. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4, 39(1). FLOORS, STAIRS AND WALKWAYS AVAILABLE FOR USE BY WORKERS MUST BE MAINTAINED IN A STATE OF GOOD REPAIR AND KEPT FREE OF SLIPPING AND TRIPPING HAZARDS.			er 1 Decisi	on F	WCB Refere	^{nce} OHS 4	41		Action Due Date
THE GREASE TRAYS SHALL BE REPAIRED OR REPLACED. Cotar			271427 7 7740	ONIO 1.	ne trod	JRS, CAUSING	A SLIPPING HA	ZARD.	
Content			DECITOR	~ · ~ · · ·					SAFETY REGULATION
WOODWORKING SHOP - THE FLOOR SURFACE IS EXTREMELY SLIPPERY, POSING A THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION A MEANS SHALL BE PROVIDED TO ELIMINATE THE SLIPPING HAZARD. Order 3 Decision F WC6 Reference OHS 4 1 Action Due Date LIVING UNITS - A NUMBER OF THE CHAIRS USED AT THE CORRECTION OFFICERS DESKS ARE BROKEN AND DAMAGED. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.1. THE CHAIRS SHALL BE ADEQUATELY REPAIRED OR REPLACED. Order 4 Decision F WC68 Reference OHS 4 39 (1) Action Due Date CHAPEL - THE CARPETING IS TORN AND LIFTED, FOSING A TRIPPING HAZARD. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.39(1). FLOORS, STAIRS AND WALKWAYS AVAILABLE FOR USE BY WORKERS MUST BE MAINTAINED IN A STATE OF GOOD REPAIR AND KEPT FREE OF SLIPPING AND TRIPPING HAZARDS.		Order	1					•	
THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION A MEANS SHALL BE PROVIDED TO ELIMINATE THE SLIPPING HAZARD. Order 3 Decision F WCG Reference OHS 4 1 Action Due Date LIVING UNITS - A NUMBER OF THE CHAIRS USED AT THE CORRECTION OFFICERS DESKS ARE BROKEN AND DAMAGED. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.1. THE CHAIRS SHALL BE ADEQUATELY REPAIRED OR REPLACED. Order 4 Decision F WCG Reference OHS 4 39 (1) Action Due Date CHAPEL - THE CARPETING IS TORN AND LIFTED, POSING A TRIPPING HAZARD. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.39(1). FLOORS, STAIRS AND WALKWAYS AVAILABLE FOR USE BY WORKERS MUST BE MAINTAINED IN A STATE OF GOOD REPAIR AND KEPT FREE OF SLIPPING AND TRIPPING HAZARDS.			er –	•	L				
A MEANS SHALL BE PROVIDED TO ELIMINATE THE SLIPPING HAZARD. Order O	-		DELITE THE	IIAZARD	•				
Content Cont			THIS IS SECTION	IN CONT 4.39(1)	RAVENT] ·	ON OF THE C	CCUPATIONAL H	EALTH AND S	SAFETY REGULATION
LIVING UNITS - A NUMBER OF THE CHAIRS USED AT THE CORRECTION OFFICERS DESKS ARE BROKEN AND DAMAGED. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.1. THE CHAIRS SHALL BE ADEQUATELY REPAIRED OR REPLACED. Order 4 Decision F WCB Reference OHS 4 39 (1) CHAPEL - THE CARPETING IS TORN AND LIFTED, POSING A TRIPPING HAZARD. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.39(1). FLOORS, STAIRS AND WALKWAYS AVAILABLE FOR USE BY WORKERS MUST BE MAINTAINED IN A STATE OF GOOD REPAIR AND KEPT FREE OF SLIPPING AND TRIPPING HAZARDS.							INATE THE SLI	PPING HAZA	RD.
THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.1. THE CHAIRS SHALL BE ADEQUATELY REPAIRED OR REPLACED. Order 4 Decision F WCB Reference OHS 4 39 (1) Action Due Date CHAPEL - THE CARPETING IS TORN AND LIFTED, POSING A TRIPPING HAZARD. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.39(1). FLOORS, STAIRS AND WALKWAYS AVAILABLE FOR USE BY WORKERS MUST BE MAINTAINED IN A STATE OF GOOD REPAIR AND KEPT FREE OF SLIPPING AND TRIPPING HAZARDS. Employer Representative Officer of the Board			ar 3 Decision	on F	WCB Referer	oce OHS 4	1		Action Due Date
THE CHAIRS SHALL BE ADEQUATELY REPAIRED OR REPLACED. Order Number 4 Decision F WCB Reference OHS 4 39 (1) CHAPEL - THE CARPETING IS TORN AND LIFTED, POSING A TRIPPING HAZARD. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.39(1). FLOORS, STAIRS AND WALKWAYS AVAILABLE FOR USE BY WORKERS MUST BE MAINTAINED IN A STATE OF GOOD REPAIR AND KEPT FREE OF SLIPPING AND TRIPPING HAZARDS. Employer Representative Officer of the Board			LIVING U DESKS AF	INITS - RE BROKE	A NUMBE N AND I	ER OF THE CH DAMAGED.	AIRS USED AT	THE CORRECT	CION OFFICERS
Order Number 4 Decision F WCB Reference OHS 4 39 (1) CHAPEL - THE CARPETING IS TORN AND LIFTED, POSING A TRIPPING HAZARD. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.39(1). FLOORS, STAIRS AND WALKWAYS AVAILABLE FOR USE BY WORKERS MUST BE MAINTAINED IN A STATE OF GOOD REPAIR AND KEPT FREE OF SLIPPING AND TRIPPING HAZARDS.	1000		THIS IS SECTION	IN CONTI	RAVENTI	ON OF THE O	CCUPATIONAL H	EALTH AND S	SAFETY REGULATION
CHAPEL - THE CARPETING IS TORN AND LIFTED, POSING A TRIPPING HAZARD. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.39(1). FLOORS, STAIRS AND WALKWAYS AVAILABLE FOR USE BY WORKERS MUST BE MAINTAINED IN A STATE OF GOOD REPAIR AND KEPT FREE OF SLIPPING AND TRIPPING HAZARDS. Employer Representative CHAPEL - THE CARPETING IS TORN AND LIFTED, POSING A TRIPPING HAZARD. THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION FLOORS, STAIRS AND WALKWAYS AVAILABLE FOR USE BY WORKERS MUST BE MAINTAINED IN A STATE OF GOOD REPAIR AND KEPT FREE OF SLIPPING AND TRIPPING HAZARDS.							PAIRED OR REP	LACED.	
THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 4.39(1). FLOORS, STAIRS AND WALKWAYS AVAILABLE FOR USE BY WORKERS MUST BE MAINTAINED IN A STATE OF GOOD REPAIR AND KEPT FREE OF SLIPPING AND TRIPPING HAZARDS. Employer Representative Officer of the Board			er 4 Decisio	on F	WCB Referen	oce OHS 4	39 (1)		Action Due Date
FLOORS, STAIRS AND WALKWAYS AVAILABLE FOR USE BY WORKERS MUST BE MAINTAINED IN A STATE OF GOOD REPAIR AND KEPT FREE OF SLIPPING AND TRIPPING HAZARDS. Employer Representative Officer of the Board			CHAPEL -	THE CA	RPETING	IS TORN AN	D LIFTED, POSI	NG A TRIPPI	ING HAZARD.
TRIPPING HAZARDS. Employer Representative Officer of the Board			THIS IS	IN CONTI 4.39(1)	RAVENTI	ON OF THE O	CCUPATIONAL H	EALTH AND S	AFETY REGULATION
	1								
			FLOORS, MAINTAÍN	IED IN W	STATE	KWAYS AVAIL OF GOOD REP	ABLE FOR USE AIR AND KEPT	BY WORKERS FREE OF SLI	MUST BE PPING AND
			FLOORS, MAINTAÍN	IED IN W	STATE	KWAYS AVAIL OF GOOD REP	ABLE FOR USE AIR AND KEPT	BY WORKERS FREE OF SLI	MUST BE PPING AND
			FLOORS, MAINTAÍN	IED IN W	STATE	KWAYS AVAIL OF GOOD REP	ABLE FOR USE AIR AND KEPT	BY WORKERS FREE OF SLI	MUST BE PPING AND
	***************************************		FLOORS, MAINTAÍN	IED IN W	STATE	KWAYS AVAIL OF GOOD REP	ABLE FOR USE AIR AND KEPT	BY WORKERS FREE OF SLI	MUST BE PPING AND
			FLOORS, MAINTAÍN	IED IN W	STATE	KWAYS AVAIL OF GOOD REP	ABLE FOR USE AIR AND KEPT	BY WORKERS FREE OF SLI	MUST BE PPING AND
			FLOORS, MAINTAÍN	IED IN W	STATE	KWAYS AVAIL OF GOOD REP	ABLE FOR USE AIR AND KEPT	BY WORKERS FREE OF SLI	MUST BE PPING AND
			FLOORS, MAINTAÍN	IED IN W	STATE	KWAYS AVAIL OF GOOD REP	ABLE FOR USE AIR AND KEPT	BY WORKERS FREE OF SLI	MUST BE PPING AND
	- The second sec		FLOORS, MAINTAÍN	IED IN W	STATE	KWAYS AVAIL OF GOOD REP	ABLE FOR USE AIR AND KEPT	BY WORKERS FREE OF SLI	MUST BE PPING AND
			FLOORS, MAINTAÍN	IED IN W	STATE	KWAYS AVAIL OF GOOD REP	ABLE FOR USE AIR AND KEPT	BY WORKERS FREE OF SLI	MUST BE PPING AND
			FLOORS, MAINTAÍN	IED IN W	STATE	KWAYS AVAIL OF GOOD REP	ABLE FOR USE AIR AND KEPT	BY WORKERS FREE OF SLI	MUST BE PPING AND
			FLOORS, MAINTAÍN	IED IN W	STATE	KWAYS AVAIL OF GOOD REP	ABLE FOR USE AIR AND KEPT	BY WORKERS FREE OF SLI	MUST BE PPING AND
			FLOORS, MAINTAÍN	HAZARDS	SIAIE S.	OF GOOD REP	ABLE FOR USE AIR AND KEPT	FREE OF SLI	PPING AND
	40 marsh 1 mar		FLOORS, MAINTAÍN	HAZARDS	SIAIE S.	OF GOOD REP	AIR AND KEPT	Officer of th	PPING AND

WORKERS' COMPENSATION BOARD COLUMBIA

6951 Westminster Highway, Richmond, B.C. Mailing Address: PO Box 5350, Vancouver, B.C., V6B 5L5 Telephone: 604 276-3100 Toll Free: 1-888-621-7233 Fax: 604 276-3247

INSPECTION REPORT

PREVENTION DIVISION

An employer who fails to comply with Occupational Health and Safety Regulations or Board orders or directions is subject to sanctions as prescribed in the Workers Compensation Act,

Occupational Health and Safety Regulations require that one copy of this report remain posted in a conspicuous place at or nea operation inspected for at least seven days, or until compliance has been achieved, whichever is the longer period.

A request for a review of the orders in this report may be submitted to the Prevention Division within 60 calendar days of the date of this report. The time cannot be extended.

Report Date	- Num	ber	Employee Numb	er			Employe	:
2000-02-0	1 2000090	580084			PR	OVINCIAL	GOVERNMENT	
Order 5 De	cision F	WCB Referen	^{nce} OHS 8	·····	9	(1)(a)		Action Due Date

METALWORK SHOP - WORKERS WORKING WITH AND IN DIRECT PROXIMITY TO EPOXY/POLYURETHANE PAINT REMOVERS AND LACQUER THINNERS, ARE NOT USING ALL OF THE PROTECTIVE EQUIPMENT SPECIFIED IN THE MATERIAL SAFETY DATA SHEETS, AND INSTRUCTIONS OF THE EMPLOYER.

THIS IS IN CONTRAVENTION OF THE OCCUPATIONAL HEALTH AND SAFETY REGULATION SECTION 8.9(1)(a).

A WORKER WHO IS REQUIRED TO USE PERSONAL PROTECTIVE EQUIPMENT MUST USE THE EQUIPMENT IN ACCORDANCE WITH TRAINING AND INSTRUCTION, AND THE SPECIFIC MATERIAL SAFETY DATA SHEET.

Order 6 Number 6	F	WCB Reference WCA	131	(2)	Action Due Date

THE JOINT COMMITTEE IS NOT MEETING AT LEAST ONCE EACH MONTH.(DEC./99 & JAN./00) MEETINGS WERE NOT HELD.

THIS IS IN CONTRAVENTION OF THE WORKERS COMPENSATION ACT SECTION 131 (2).

A JOINT COMMITTEE MUST MEET REGULARLY AT LEAST ONCE EACH MONTH, UNLESS ANOTHER SCHEDULE IS PERMITTED OR REQUIRED BY REGULATION OR ORDER.

Employer Representative	Officer of the Board
	MACPHERSON, COLIN