REGISTRATION FORM

Registration Date of Registration [e_assessdt] **Demographics** Birth Date (mm/yyyy) [birthdt] Date of Diagnosis: Day [diagday] Month [diagmon] Year [diagyear] Unknown [diagdtunk] Date of diagnosis not available but: [diagdtmonths] Less than 4 months: [1] More than 4 months: [2] Patient's Diagnosis [e_diagnosis] Crohn's Disease [1] Ulcerative Colitis [2] Indeterminate Colitis [3] Gender [e gender] Male [1] Female [2] Ethnicity [ethnicity] Hispanic [1] Non-Hispanic [3] Not Assessed/Collected [98] **Race** (Check all that apply) American Indian or Alaska Native [raceAIAN] Asian [raceASIAN] Black or African American [raceBKAA] Native Hawaiian or other Pacific Islander [raceNHOP] White [raceWH] Other (specify) [raceOTH] Not Assessed/Collected [raceNAC] Other Race [e_racespec] **Parents Education** Mother [mother_edu] Did not graduate high school [1] Graduated high school/GED [2] Some College [3]

Graduated College [4]

```
Attended Graduate School [5]
Unknown [99]
Father [father_edu]
Did not graduate high school [1]
Graduated high school/GED [2]
Some College [3]
Graduated College [4]
Attended Graduate School [5]
Unknown [99]
Patient Info
Health Insurance
Health Insurance Health Insurance [phi]
Medicaid [1]
Commercial [2]
Both Medicaid and Commercial [3]
No Insurance [4]
Don't Know [99]
Height/Weight
Recent Past Height from at least 6 months prior to this visit (to the nearest tenth): Unit: [e_prevht] cm
Unknown [e prevhtna]
Date the height was measured: Day [htday] Month [htmon] Jan Year [htyear]
Recent Past Weight from at least 4 months prior to this visit (to the nearest tenth): Unit: [e prevwt] kg
Unknown [e_prevwtna]
Date the weight was measured: Day [wtday] Month [wtmon] Jan Year [wtyear]
Extent of Disease
Extent of Disease: Crohn's Disease/Indeterminate colitis subjects only (select one for each category):
Macroscopic Lower GI Disease [e_exchrn_lower]
None [0]
Ileal only [1]
Colonic only [2]
Ileocolonic [3]
Not Assessed [8]
Don't Know [9]
Macroscopic Upper GI Disease proximal to the ligament of Treitz [e exchrn upper prox]
Yes [1]
No [0]
Not Assessed [2]
Don't Know [99]
Macroscopic Upper GI Disease distal to the ligament of Treitz [e_exchrn_upper_dist]
```

```
Yes [1]
No [0]
Not Assessed [2]
Don't Know [99]
What is the Crohn's Disease Phenotype? (Select one) [e crphen]
Inflammatory, non-penetrating, non-stricturing [1]
Stricturing only [2]
Penetrating only [3]
Both stricturing and penetrating [5]
Don't Know [4]
Perianal Phenotype [e_perianaldis]
Yes [1]
No [0]
Don't Know [2]
Extent of Disease: Ulcerative Colitis subjects only
Extent of disease [e disuculcproc]
Ulcerative Procitis (rectum only) [1]
Left sided Ulcerative Colitis (distal to the splenic flexure only) [2]
Extensive Ulcerative Colitis (extends proximal to the splenic flexure) [3]
Pancolitis (the entire colon) [4]
Not Assessed completely (colonoscopy incomplete) [6]
Don't Know [7]
Ulcerative Colitis Behavior: Has the patient ever had severe disease (defined as PUCAI ≥ 65 or severe disease
determined by PGA) as an inpatient or outpatient? [uc behav]
Yes [1]
No [0]
Don't Know [2]
VISIT DATA FORM
Assessment
Date of assessment: [s_assessdt]
Since the last visit documented in the database were there any visits that were not captured? (select one)
[s_visnotdoc]
Yes [1]
No [0]
Don't Know [2]
Number of visits not captured [s_visnotdocy]
Current visit data entered by [s entry]
Primary Attending Gastroenterologist [s_primprov]
Secondary provider [s_secprov]
```

Colectomy/Ostomy

```
Has the patient had a colectomy? (If Yes, and the patient's diagnosis is UC, the patient should be inactivated) (select
one) [s_colectomy]
Yes [1]
No [0]
Don't Know [2]
Date of colectomy [s colectomydt]
Does the Patient currently have an ileostomy or colostomy? (select one) [s ileocolo]
Yes [1]
No [0]
Don't Know [2]
What is the patient's current diagnosis? (select one) [s currdx]
Crohn's Disease [1]
Ulcerative Colitis [2]
Indeterminate Colitis [3]
Symptoms
In the following set of questions, describe the symptoms on the worst day in the last 7 days
General well-being related to IBD (select one) [s wellbeing]
Well/Normal [7]
Fair [8]
Poor [3]
Don't Know/Not Assessed [6]
Limitations in daily activities related to IBD (select one) [s_limitdact]
None [1]
Occasional [2]
Frequent [3]
Don't Know/Not Assessed [4]
Abdominal pain due to IBD (select one) [s abdpain]
None [1]
Mild [2]
Moderate to Severe [6]
Don't Know/Not Assessed [5]
Stools
In the following set of questions, describe the patient's stools on the worst day in the last 7 days
Total number of stools per day (enter 0 if none) [s_totstool]
Not Assessed [totstlna]
Most stools were (select one) [s_moststool]
Formed [1]
Partially Formed [2]
Liquid [3]
Don't Know/Not Assessed [4]
Number of liquid/watery stools per day (enter 0 if none) [s liquidstool]
```

Not Assessed: ligstlna

```
Did the patient report bloody stools? (select one) [s_bloodystool]
Yes [1]
No [0]
Don't Know/Not Assessed [2]
If blood was present, the typical amount was (select one) [bloodamt]
Small amount in less than 50% of stools [5]
Small amount in greater than 50% of stools [6]
Large amount [2]
Not available/assessed [4]
Nocturnal diarrhea (select one) [s nocdia]
Yes [1]
No [0]
Not available/assessed [2]
Extraintestinal Manifestations
Fever 38.5 degrees C (101.3 degrees F) for 3 of last 7 days? (select one) [s_fever]
Yes [1]
No [0]
Not available/assessed [2]
Definite arthritis? (select one) [s_arth]
Yes [1]
No [0]
Not available/assessed [2]
Uveitis? (select one) [s uveitis]
Yes [1]
No [0]
Not available/assessed [2]
Erythema nodosum? (select one) [s_eryth]
Yes [1]
No [0]
Not available/assessed [2]
Pyoderma gangrenosum? (select one) [s pyoderm]
Yes [1]
No [0]
Not available/assessed [2]
Exam
Abdominal exam (select one) [s_abdexam]
No tenderness, no mass [1]
Mild tenderness or questionable mass without tenderness [2]
Moderate to severe tenderness, involuntary guarding, definite mass [3]
Don't Know [4]
Not Assessed [5]
```

Perirectal disease at current exam (select one) [s_peridis]

```
Normal or asymptomatic tag, non-draining fistula without tenderness, no deep fissuring or abscess [1]
Mildly inflamed skin tag(s), 1 to 2 indolent fistulas with scant drainage (NO tenderness, deep fissures or abscess) [2]
Severely inflamed tag(s), active fistula with drainage, tenderness, abscess, or deep fissure [3]
Don't Know [4]
Not Assessed [5]
Current Height (default unit in cm) [s ht]
Unit: cm
Not Assessed: [htna]
Current Weight (default unit in kg) [s_wt]
Unit: kg
Not Assessed: [wtna]
Current BMI [s bmi]
For patients less than 18 years old, has height, weight and BMI been plotted on a growth chart? (select one)
[s plotvitals]
Yes [1]
No [0]
Don't Know [2]
Disease Assessment
Physicians Global Assessment of current disease status (select one) [s_pga]
Quiescent [1]
Mild [2]
Moderate [3]
Severe [4]
Don't Know/Not Assessed [5]
Extent of Disease: Crohn's Disease/Indeterminate Colitis patients only (select one for each category)
Macroscopic Lower GI Disease? [s_exchrn_lower]
None [0]
Ileal only [1]
Colonic only [2]
Ileocolonic [3]
Not Assessed [8]
Don't Know [9]
Macroscopic Upper GI Disease proximal to the ligament of Treitz? [s exchrn upper prox]
Yes [1]
No [2]
Not Assessed [8]
Don't Know [99]
Macroscopic Upper GI Disease distal to the ligament of Treitz? [s exchrn upper dist]
Yes [1]
No [2]
Not Assessed [8]
Don't Know [99]
For CD/IC patients only: Current Crohn's Disease Phenotype (select one) [s_cdpheno]
```

Inflammatory, non-penetrating, non-stricturing [1]

```
Stricturing [2]
Penetrating [3]
Both Stricturing and Penetrating [5]
Don't Know [4]
For CD/IC patients only: Perianal Phenotype? (select one) [s peipheno]
Yes [1]
No [0]
Don't Know [2]
Extent of Disease: Ulcerative Colitis subjects only
Extent of Disease: Ulcerative Colitis subjects only (select one) [s_extdisuc]
Ulcerative Proctitis (rectum only) [1]
Left sided Ulcerative Colitis [2]
Extensive Ulcerative Colitis [3]
Pancolitis (the entire colon) [4]
Not assessed completely [5]
Don't Know [6]
For UC patients only: Ulcerative Colitis Behavior: Has the patient ever had severe
disease? [s_ucbehavior]
Yes [1]
No [0]
Don't know [2]
Nutritional and Growth Status
Nutritional Status (select one) [s_nutrstatus]
Satisfactory [1]
At Risk [2]
In failure [3]
Not Assessed [5]
For patients less than 18 years old: Growth Status (select one) [s_growthstatus]
Satisfactory [1]
At Risk [2]
In failure [3]
Not Assessed [5]
Since the last visit, has the patient been in continuous remission? (select one) [remission]
Yes [1]
No [0]
Don't Know [2]
Since the last visit, has the patient had a serious infection? (Note: A serious infection is one that requires
hospitalization or IV therapy) (select one) [s_infec]
Yes [1]
No [0]
Don't Know [2]
If yes, indicate infection [s_infecy]
```

```
Are there psychosocial risk factors that are felt to significantly impact the patient's medical care? (select one)
[s_adherence]
Yes [1]
No [0]
Don't Know [2]
Laboratory Analysis
Was a blood sample drawn for laboratory analysis? (select one) [bldsample]
Yes [1]
No [0]
Don't Know [2]
Date of lab sample [s labsampledt]
C-Reactive Protein [crp]
Not Done [0]
Done on same date as above [1]
Done on different date than above [2]
Date of sample [s_crpdt]
Result [s_crp]
Outside quantifiable range [s crpunkn]
If result is outside the quantifiable range, select one: [crprange]
Below level of quantification [1]
Above level of quantification [2]
Lab? (select one) [s crplab]
LabCorp [1]
Quest [2]
In-house [3]
Other [4]
Hematocrit [hem]
Not Done [0]
Done on same date as above [1]
Done on different date than above [2]
Hematocrit Date of sample [s hemdt]
Result [s hem]
Erythrocyte Sedimentation Rate (ESR) [esr]
Not Done [0]
Done on same date as above [1]
Done on different date than above [2]
Date of sample [s_esrdt]
Result [s_esr]
```

Outside quantifiable range [s_esrunkn]

```
If result is outside the quantifiable range, select one: [esrrange]
Below level of quantification [1]
Above level of quantification [2]
Albumin [alb]
Not Done [0]
Done on same date as above [1]
Done on different date than above [2]
Date of sample [s_albdt]
Result [s_alb]
Medications
Is the patient currently taking any non-biologic prescription medications for IBD? (select one) [ibdmed]
Yes [1]
No [0]
Don't Know [2]
Aminosalicylates
Is the patient taking any oral aminosalicylates? [aminotaking]
Yes [1]
No [0]
Sulfasalazine [sulfataking]
Dose (mg/day) [s_azuldose]
Pentasa [penttaking]
Dose (mg/day) [s_pentdose]
Asacol [asataking]
Dose (mg/day) [s_asadose]
Apriso [aprtaking]
Dose (mg/day) [s_aprisodose]
Lialda [liataking]
Dose (mg/day) [s_lialdadose]
Colazal [colataking]
Dose (mg/day) [s_coladose]
Delzicol [delztaking]
Dose (mg/day) [s_delzdose]
Salofalk [salofalktaking]
Dose (mg/day) [s_salofalkdose]
```

Rectal Therapy

Is the patient taking any rectal therapy? [rectaking] Yes [1] No [0] Rowasa [rwstaking] Dose (mg/day) [s_rowasadose] Canasa [cantaking] Dose (mg/day) [s_canasadose] Hydrocortisone enema/suppository [hdrtaking] Dose (mg/day) [s_hydrocortdose] Mesalazine [mesalazinetaking] Dose mg/day [s_mesalazinedose] **Corticosteroids** Is the patient taking any corticosteroids? [cortaking] Yes [1] No [0] Prednisone [pdstaking] Dose (mg/day) [s_preddose] **Budesonide** [bdstaking] Dose (mg/day) [s_budedose] Methylprednisolone [mpredtaking] Dose (mg/day) [s_mpreddose] **Immunomodulators** Is the patient taking any immunomodulators? [imodtaking] Yes [1] No [0] **Tofacitinib** [tofactaking] Dose (mg/day) [s_tofacdose] 6MP [_mptaking] Dose (mg/day) [s_6mpdose] **Azathioprine** [azataking] Dose (mg/day) [s_azadose] **Allopurinol** [alptaking]

```
Dose (mg/day) [s_allopdose]
Methotrexate [mthtaking]
Dose (mg/wk) [s_methdose]
Methotrexate Route: [s_methroute]
Folic Acid [folictaking]
Dose (mg/day) [s_folicdose]
Other Immune Suppressants
Is the patient taking cyclosporine, tacrolimus or sirolimus? [suprntaking]
Yes [1]
No [0]
Cyclosporine [cyclotaking]
Dose (mg/day) [s_cyclodose]
Tacrolimus [tacrotaking]
Dose (mg/day) [s_tacrodose]
Sirolimus [sirotaking]
Dose (mg/day) [s_sirodose]
Antibiotics for IBD
Is the patient taking any antibiotic for IBD? [antbiotaking]
Yes [1]
No [0]
Cipro [ciprotaking]
Dose (mg/day) [s_ciprodose]
Flagyl [flagItaking]
                                                        Rifaximin [rifaxtaking]
Dose (mg/day) [s_flagldose]
                                                        Dose (mg/day) [s_rifaxdose]
Biologics Information
** The following questions were retired in December 2017 **
Since the last visit, was an induction dose given for any biologic? (select one) [s_biologicsyn]
Yes [1]
No [0]
Don't Know [2]
Date of first induction dose [fidt]
Which biologic was initiated at this induction dose? (select one) [s biologicind]
```

```
Cimzia [1]
Entyvio [7]
Humira [2]
Remicade [3]
Simponi [5]
Stelera [6]
Tysabri [4]
Inflectra [8]
Remsima [9]
Reasons for initiation of biologics (*Note: these questions will only appear for new biologic agents)
Steroid dependence? (select one) [steroid]
Yes [1]
No [0]
Don't Know [2]
Toxicity of Immunomodulator? (select one) [toxim]
Yes [1]
No [0]
Don't Know [2]
Lack of response to immunomodulator? (select one) [lackim]
Yes [1]
No [0]
Don't Know [2]
Failure of other biologic? (select one) [failure]
Yes [1]
No [0]
Don't Know [2]
Growth failure? (select one) [growth]
Yes [1]
No [0]
Don't Know [2]
Perianal disease? (select one) [personal]
Yes [1]
No [0]
Don't Know [2]
Severity of endoscopic findings? (select one) [endoscopy]
Yes [1]
No [0]
Don't Know [2]
Postsurgical prophylaxis? (select one) [prophyl]
```

```
Yes [1]
No [0]
Don't Know [2]
No other treatment attempted? (select one) [othtmt]
Yes [1]
No [0]
Don't Know [2]
Other (select one) [othbiologic]
Yes [1]
No [0]
Don't Know [2]
Specify [othspecify]
** End retired variables **
Infliximab
   Remicade [infmabtaking]
       Dose (mg) [s inflixcurrdose]

    Treatment Period [infmabtrt]

           Maintenance [1] Induction [2]

    Dosing Interval (weeks) [s_inflixcurrinterval]

Remsima [remsimataking]
       Dose (mg) [s_remsimadose]
       Treatment Period [remsimatrt]

    Maintenance [1] Induction [2]

    Dosing Interval (weeks) [s remsimadi]

Inflectra [inflectrataking]
       Dose (mg) [s inflectradose]
       Treatment Period [inflectratrt]
           Maintenance [1] Induction [2]

    Dosing Interval (weeks) [s_inflectradi]

   Renflexis/Flixabi [remflextaking]
       o Dose (mg) [s remflexdose]

    Treatment Period [remflextrt]

           Maintenance [1] Induction [2]
       o Dosing Interval (weeks) [s remflexdi]
o Ixifi [ixifitaking]
```

Dose (mg) [s_ixifidose]Treatment Period [ixifitrt]

Maintenance [1] Induction [2]

Dosing Interval (weeks) [s_ixifidi]

Certolizumab

- o Cimzia [cimztaking]
 - Dose (mg) [s_cimziacurrdose]
 - Treatment Period [cimztrt]Maintenance [1] Induction [2]
 - Dosing Interval (weeks) [s_cimziacurrinterval]

Adalimumab

- Humira [humrataking]
 - Dose (mg) [s humiracurrdose]
 - Treatment Period [humratrt]Maintenance [1] Induction [2]
 - Dosing Interval (weeks) [s humiracurrinterval]
- Cyltezo [cyltezotaking]
 - Dose (mg) [s_cyltezodose]
 - Treatment Period [cyltezotrt]Maintenance [1] Induction [2]
 - Dosing Interval (weeks) [s_cyltezodi
- o Imraldi [imralditaking]
 - Dose (mg) [s imraldidose]
 - Treatment Period [imralditrt]Maintenance [1] Induction [2]
 - Dosing Interval (weeks) [s_imraldidi]
- Amjevita/Solymbic [amjevtaking]
 - Dose (mg) [s amjevdose]
 - Treatment Period [amjevtrt]Maintenance [1] Induction [2]
 - Dosing Interval (weeks) [s amjevdi]

Natalizumab

- Tysabri [tysabrtaking]
 - Dose (mg) [s_tysabricurrdose]
 - Treatment Period [tysabrtrt]Maintenance [1] Induction [2]
 - Dosing Interval (weeks) [s_tysabricurrinterval]

Golimumab

- Simponi [simptaking]
 - Dose (mg) [s_simpdose]

- Treatment Period [simptrt]Maintenance [1] Induction [2]
- Dosing Interval (weeks) [s_simpdi]

Ustekinumab

- Stelara [steltaking]
 - o Dose (mg) [s steldose]
 - Treatment Period [steltrt]Maintenance [1] Induction [2]
 - Dosing Interval (weeks) [s steldi]

Vedolizumab

- Entyvio [entyvtaking]
 - Dose (mg) [s_entyvdose]
 - Treatment Period [entyvtrt]Maintenance [1] Induction [2]
 - Dosing Interval (weeks) [s_entyvdi]

Other prescription medications for IBD (per site discretion)

Medication	Dose
[othmedtaking]	mg [othmeddose]

Is the patient currently taking the following?

```
An enteral caloric intake supplement? (select one) [s_entsupr]
```

Yes [1]

No [0]

Don't Know [2]

Enteral nutrition as primary therapy? (select one) [s_entnupr]

Yes [1]

No [0]

Don't Know [2]

TPMT

Has the TPMT been measured? (select one) [s_tpmtmeasured]

Yes [1]

No [0]

TPMT Genotype (select one) [s_tpmtgeno]

Normal [1]

Heterozygous [2]

Homozygous recessive [3]

Not Done [4]

```
TPMT Genotype date [s_tpmtgenodt]
TPMT Phenotype (select one) [s_tpmtpheno]
Normal/High [5]
Intermediate [1]
Low [3]
Not Done [4]
TPMT Phenotype date [s_tpmtphenodt]
6MP/AZA
Has the patient had 6MP metabolites measured more recently than the test indicated above? (select
one) [s thiometab]
Yes [1]
No [0]
Don't Know [2]
If Yes, most recent measurement date [s_thiometabdt]
Most recent 6-TGN level [s 6tgn]
Outside quantifiable range [_tgunkn]
If result is outside the quantifiable range, select one: [_tgnrange]
Below level of quantification [1]
Above level of quantification [2]
Most recent 6-MMPN [ mpunkn]
Outside quantifiable range [_mpunkn]
If result is outside the quantifiable range, select one: [_mmpnrange]
Below level of quantification [1]
Above level of quantification [2]
Infliximab Patients
Has the patient had Infliximab trough level measured more recently than the test above? (select one)
[s_inflixtroughmeas]
Yes [1]
No [0]
Don't know [2]
Infliximab trough level [s_inflixtrough]
If result is outside the quantifiable range, select one: [inflixtroughqnt]
Below level of quantification [0]
Above level of quantification [1]
```

```
Date of Infliximab trough level measurement [s_inflixtroughdt]
Infliximab Trough Lab? (select one) [s_inflixtroughlab]
LabCorp (Esoterix) [1]
Prometheus [2]
MAYO [3]
ARUP [4]
Miraca [5]
Quest [6]
Other [7] specify [s_inflixtroughlabother]
Has the patient had Infliximab antibody levels measured more recently than the test above? (select
one) [s inflixantibodymeas]
Yes [1]
No [0]
Don't Know [2]
Infliximab antibody level [s inflixantibody]
If result is outside the quantifiable range, select one: [inftrrange]
Below level of quantification [0]
Above level of quantification [1]
Date of Infliximab antibody level measurement [s inflixantibodydt]
Adalimumab Patients
Has the patient had Adalimumab trough level measured more recently than the test above? (select
one)
[humira_trough_msr]
Yes [1]
No [0]
Don't know [2]
Adalimumab trough level [humira_trough_lvl]
If result is outside the quantifiable range, select one: [humira_trough_qnt]
Below level of quantification [0]
Above level of quantification [1]
Date of Adalimumab trough level measurement [humira_trough_dt]
Adalimumab Trough Lab? (select one) [humira_trough_lab]
LabCorp (Esoterix) [1]
Prometheus [2]
MAYO [3]
ARUP [4]
```

```
Miraca [5]
Quest [6]
Other [7] specify [humira_trough_labother]
Has the patient had Adalimumab antibody levels measured more recently than the test above? (select
one)
[humira_antibody_msr]
Yes [1]
No [0]
Don't know [2]
Adalimumab antibody level [humira antibody lvl]
If result is outside the quantifiable range, select one: [humira antibody qnt]
Below level of quantification [0]
Above level of quantification [1]
Date of Adalimumab antibody level measurement [humira_antibody_dt]
Ustekinumab Patients
Has the patient had Ustekinumab trough level measured more recently than the test above? (select
one) [ustek_trough_msr]
Yes [1]
No [0]
Don't know [2]
Ustekinumab trough level [ustek trough lvl]
If result is outside the quantifiable range, select one: [ustek trough qnt]
Below level of quantification [0]
Above level of quantification [1]
Date of Ustekinumab trough level measurement [ustek trough dt]
Ustekinumab Trough Lab? (select one) [ustek_trough_lab]
LabCorp (Esoterix) [1]
Prometheus [2]
MAYO [3]
ARUP [4]
Miraca [5]
Quest [6]
Other [7] specify [ustek_trough_labother]
Has the patient had Ustekinumab antibody levels measured more recently than the test above?
(select one) [ustek_antibody_msr]
Yes [1]
No [0]
```

```
Don't know [2]
Ustekinumab antibody level [ustek_antibody_lvl]
If result is outside the quantifiable range, select one: [ustek antibody qnt]
Below level of quantification [0]
Above level of quantification [1]
Date of Ustekinumab antibody level measurement [ustek_antibody_dt]
Vedolizumab Patients
Has the patient had Vedolizumab trough level measured more recently than the test above? (select
one) [vedo trough msr]
Yes [1]
No [0]
Don't know [2]
Vedolizumab trough level [vedo_trough_lvl]
If result is outside the quantifiable range, select one: [vedo trough qnt]
Below level of quantification [0]
Above level of quantification [1]
Date of Vedolizumab trough level measurement [vedo_trough_dt]
Vedolizumab Trough Lab? (select one) [vedo_trough_lab]
LabCorp (Esoterix) [1]
Prometheus [2]
MAYO [3]
ARUP [4]
Miraca [5]
Quest [6]
Other [7] specify [vedo_trough_labother]
Has the patient had Vedolizumab antibody levels measured more recently than the test above? (select
one) [vedo antibody msr[
Yes [1]
No [0]
Don't know [2]
Vedolizumab antibody level [vedo_antibody_lvl]
If result is outside the quantifiable range, select one: [vedo antibody qnt]
Below level of quantification [0]
Above level of quantification [1]
Date of Vedolizumab antibody level measurement [vedo antibody dt]
```

ACTIVATION STATUS FORM

```
Status [actvtn]
Activated [1]
Deactivated [2]
Removed [3]
Date of status change: [actvtndt] dd/mm/yyyy
Reason for deactivation of this subject: [inactrs]
Transferred to an adult gastroenterologist [1]
Transferred to another pediatric gastroenterology practice [2]
Transferred to another physician who is not a gastroenterologist [3]
Colectomy for ulcerative colitis [4]
Moved to another city [5]
Lost to follow-up [6]
Death [8]
Other [9]
Other specify [inactrssp]
Reason for removal of this patient: [removalrs]
Data entry error [1]
Thought to have never had IBD [2]
Withdrawal of consent [3]
Other [4]
HOSPITALIZATION FORM
Date of admission: mm/dd/yyyy [hspadmt]
Discharge Date: mm/dd/yyyy [hspdscdt]
Is hospitalization IBD related? [hspibdrel]
Yes [1]
No [2]
Not Sure [3]
Was an intra-abdominal GI surgery performed during the admission? [hspsurg]
Yes [1]
No [2]
Not Sure [3]
Comments [hspcomm]
```