

# Developing a Great Kimberley Marine Park

## Science Statement of Support for a Network of Marine Reserves

Statement from the undersigned coordinating authors and supporting scientists

28<sup>th</sup> March 2015

---

We welcome the Western Australian State Government's commitment to create a Great Kimberley Marine Park, comprising Eighty Mile Beach, Roebuck Bay, Camden Sound, Horizontal Falls and the North Kimberley marine parks.

The northwest coast of Australia is recognised as one of the most pristine tropical coastal ecosystems in the world.<sup>1</sup> A remote and rugged region, the Kimberley coast is an important natural environment of outstanding beauty which remains largely undeveloped and supports a rich, unique biodiversity with high natural and cultural values.<sup>2</sup>

The coral reefs of the Kimberley have the greatest diversity in WA<sup>3</sup>, are some of the most pristine and remarkable reefs throughout Australia<sup>2</sup> and are of international significance<sup>4</sup>. The Kimberley coastal waters also accommodate a substantial humpback whale calving ground<sup>5</sup>, endemic snubfin and humpback dolphin populations<sup>6-8</sup>, globally important seabird and migratory shorebird populations<sup>9-11</sup> and mangrove habitats of international conservation significance<sup>12</sup>.

With such an enviable relatively intact marine ecosystem, the creation of the Great Kimberley Marine Park is an opportunity to establish an internationally acclaimed and scientifically endorsed representative network of highly protected no-take marine reserves, recognising that a network of no-take marine reserves is essential to delivering the biodiversity protection benefits from multiple-use marine parks.<sup>13-19</sup>

There is strong scientific evidence that a network of no-take reserves produces far greater biodiversity outcomes than partially protected areas where fishing continues<sup>20-22</sup>, with extensive literature citing substantial increases in size, density and numbers of fish and other marine species within highly protected and well enforced non-extractive reserves.<sup>16,20,22-25</sup> Benefits increase exponentially within larger more isolated no-take reserves with strong management enforcement, and in older reserves.<sup>23</sup>

Increasingly, no-take marine reserves are proven to provide benefits to adjacent fisheries,<sup>26-34</sup> with the greatest benefits created by a network of no-take reserves nested within a larger, multi-use marine protected area.<sup>15,24</sup>

The economic benefits of no-take reserves can quickly exceed any initial costs, not only through fisheries benefits but also through tourism.<sup>35</sup> As the Kimberley region experiences increasing tourism, with a rise in the amount of ecotourism and nature-based activities<sup>2</sup>, the existence of no-take marine reserves is likely to increase revenue for the area. For example, the Great Barrier Reef Marine Park now generates an annual revenue of \$5.5 billion, 36 times greater than the income from the commercial fishing industry.<sup>36,36</sup> Social benefits have also been assigned economic value<sup>37</sup>, even in areas not regularly visited such as offshore or remote marine parks where research has demonstrated that the general public places a real economic value on conservation protection<sup>38</sup>.

These benefits are predicated on adequate areas being protected.<sup>20,23</sup> The greatest recorded benefits in Australia have accrued in areas with high levels of protection such as the Great Barrier Reef and Ningaloo Reef.<sup>36,39</sup> Both of these marine protected areas span the entire ecological system, and meet scientifically recommended international conservation targets with >30% of the region protected in no-take marine reserves.<sup>24,40</sup> The high biodiversity values of the Kimberley justify a similar approach.


The remote waters of the Kimberley have limited human use<sup>41</sup> and therefore offer an enviable opportunity to exceed minimum recommendations and implement high levels of protection on par with other remote fully no-take marine protected areas such as the North Hawaiian Islands<sup>42</sup> and Chagos Islands Marine Parks<sup>30</sup> thus enabling exponentially greater biodiversity conservation benefits.<sup>23</sup>

It is clear that there will be substantial benefits from adequately protecting the Kimberley marine environment. The use of good science and modern planning tools should lead to an outcome that matches or exceeds the protection offered in other world-class marine parks in Australia.

Coordinating Authors:



**Professor Gary Kendrick**  
University of Western Australia



**Professor Jessica Meeuwig**  
University of Western Australia




**Professor Lars Bejder**  
Murdoch University



**Professor Hugh Possingham**  
The University of Queensland



**Professor Terry Hughes**  
James Cook University



**Professor Ove Hoegh-Guldberg**  
The University of Queensland



**Professor David Booth**  
University of Technology, Sydney



**Dr Rohan Clarke**  
Monash University



**Laurence McCook, PhD**  
James Cook University

*Supporting Organisations:*



*Supporting Scientists:*

<i>Professor Catherine Lovelock</i>	University of Queensland
<i>Professor Corey Bradshaw</i>	University of Adelaide
<i>Professor Graham Edgar</i>	University of Tasmania
<i>Professor John Pandolfi</i>	University of Queensland
<i>Professor Kenneth Pollock</i>	North Carolina State University
<i>Professor Morgan Pratchett</i>	James Cook University
<i>Professor Paul Lavery</i>	Edith Cowan University
<i>Professor Paul Sunnucks</i>	Monash University
<i>Professor Pete Mumby</i>	University of Queensland
<i>Professor Richard Kingsford</i>	University of New South Wales
<i>Professor Rob Harcourt</i>	Macquarie University
<i>Associate Professor Anthony J. Richardson</i>	University of Queensland
<i>Associate Professor Elizabeth Sinclair</i>	University of Western Australia
<i>Associate Professor Glenn Hyndes</i>	Edith Cowan University
<i>Associate Professor Ian Tibbetts</i>	University of Queensland

<i>Associate Professor James Watson</i>	University of Queensland
<i>Associate Professor Laura Stocker</i>	Curtin University
<i>Associate Professor Pauline Grierson</i>	University of Western Australia
<i>Emeritus Professor / Adjunct Professor John Lucas</i>	James Cook University / University of Queensland
<i>Dr Tara Martin (Adjunct Professor)</i>	CSIRO (University of British Columbia)
<i>Alex Wyatt, PhD</i>	University of Tokyo
<i>Dr Alison O'Donnell</i>	University of Western Australia
<i>Alyssa Marshall, PhD</i>	University of Queensland
<i>Dr Andrea Zavala-Perez</i>	University of Western Australia
<i>Barbara Wienecke, PhD</i>	Australian Antarctic Division
<i>Dr Carla Eisembergy</i>	Charles Darwin University
<i>Dr Cathy Townsend</i>	University of Queensland
<i>Dr Chandra Salgado Kent</i>	Curtin University
<i>Dr Chrystal Mantyka-Pringle</i>	CSIRO
<i>Dr Cynthia Riginos</i>	University of Queensland
<i>Dr Danielle Shanahan</i>	University of Queensland
<i>Dr Deborah Thiele</i>	Australian National University
<i>Dr Dirk Zeller</i>	University of British Columbia
<i>Dr Elisa Bayraktarov</i>	University of Queensland
<i>Dr Emily Shaw</i>	University of Queensland
<i>Dr Fredrik Christiansen</i>	Deakin University
<i>Dr Jens Zinke</i>	Curtin University of Technology, Australian Institute of Marine Science

<i>Dr Jessie Wells</i>	University of Queensland
<i>Dr Maria Beger</i>	University of Queensland
<i>Dr Mary Bonin</i>	James Cook University
<i>Dr Megan Huggett</i>	Edith Cowan University
<i>Dr Michael Stat</i>	Curtin University
<i>Dr Mike Bossley</i>	Whale and Dolphin Conservation Australasia
<i>Dr Mike Van Keulen</i>	Murdoch University
<i>Monique Van Sluys, PhD</i>	Taronga Zoo
<i>Dr Neil Pettit</i>	University of Western Australia
<i>Dr Nerida Wilson</i>	Western Australian Museum
<i>Dr Oscar Venter</i>	University of Queensland
<i>Dr Peter Gill</i>	Blue Whale Study Inc
<i>Dr Pim Bongarets</i>	University of Queensland
<i>Dr Rebecca Weeks</i>	James Cook University
<i>Dr Renata Ferrari Legorreta</i>	University of Sydney
<i>Dr Samuel Nicol</i>	CSIRO
<i>Dr Sandra Johnson</i>	Queensland University of Technology
<i>Dr Selina Ward</i>	University of Queensland
<i>Dr Simon Allen</i>	Murdoch University
<i>Dr Stephen Reynolds</i>	Charles Darwin University
<i>Dr Tessa Mazor</i>	CSIRO
<i>Dr Tim Lynch</i>	CSIRO, AMSA

<i>Dr Vimoksalehi Lukoschek</i>	James Cook University
<i>Alexander Brown</i>	Murdoch University
<i>Alecia Sutton</i>	Murdoch University
<i>Angela Recalde Salas</i>	Curtin University
<i>Beverly Oh</i>	University of Western Australia
<i>Blanche Danastas</i>	James Cook University
<i>Caroline Mather</i>	University of Western Australia
<i>Curt Jenner</i>	Centre for Whale Research
<i>Delphine Chabanne</i>	Murdoch University
<i>Douglas Ford</i>	University of Western Australia
<i>Elizabeth Kita</i>	University of Queensland
<i>Eloise Ashworth</i>	Murdoch University
<i>Emily Dayman</i>	University of Queensland
<i>Guido J Parra</i>	Flinders University
<i>Jennifer Smith</i>	Murdoch University
<i>Jessica Cheok</i>	James Cook University
<i>Julian Tyne</i>	Murdoch University
<i>Jutta Beher</i>	University of Queensland
<i>Kate Sprogis</i>	Murdoch University
<i>Katherine Cure</i>	University of Western Australia
<i>Lara Marcus</i>	University of Tasmania
<i>Luis Alonso Gomez Lemos</i>	Griffith University

<i>Lyn Irvine</i>	University of Tasmania
<i>Mariah Lumley</i>	University of Western Australia
<i>Micheline Jenner</i>	Centre for Whale Research
<i>Nahiid Stephens</i>	Murdoch University
<i>Oliver Manlik</i>	University of New South Wales
<i>Renee Gruber</i>	University of Western Australia
<i>Sarah Yani Vann-Sander</i>	University of Western Australia
<i>Scott Consaul Atkinson</i>	University of Queensland
<i>Simon Clulow</i>	University of Newcastle
<i>Tegan Davies</i>	University of Western Australia

## References

1. Halpern, B., Walbridge, S. & Selkoe, K. (2008) A Global Map Of Human Impact On Marine Ecosystems. *Science* **319**, 948–952.
2. Waples, K. Kimberley Biodiversity Review. (2007) Department of Environment & Conservation, Perth.
3. Richards, Z. T., Bryce, M. & Bryce, C. (2013) New Records of Atypical Coral Reef Habitat in the Kimberley, Australia. *J. Mar. Biol.* **2013**, 1–8.
4. Wilkinson, C. (2008) Status Of Coral Reefs Of The World: 2008.(Global Coral Reef Monitoring Network and Reef and Rainforest Research Centre).
5. Jenner, K., Jenner, M. & McCabe, K. (2001) Geographical And Temporal Movements Of Humpback Whales In Western Australian Waters. *Appea J.***38**, 692-707.
6. Brown, A. M. *et al.* (2014) Population Differentiation and Hybridisation of Australian Snubfin (*Orcaella heinsohni*) and Indo-Pacific Humpback (*Sousa chinensis*) Dolphins in North-Western Australia. *PLoS One* **9**, e101427.



7. Allen, S., Cagnazzi, D., Hodgson, A., Loneragan, N. and Bejder, L. (2012) Tropical inshore dolphins of north-western Australia: Unknown populations in a rapidly changing region. *Pacific Conservation Biology*. **18**, 56-66.
8. Bejder, L., Hodgson, A., Loneragan, N. and Allen, S. (2012). The need for re-evaluation of species listings and short-comings in the Environmental Impact Assessment process. *Pacific Conservation Biology*. **18**, 22-25.
9. Tulp, I. & Degoeij, P. (1994) Evaluating Wader Habitats In Roebuck Bay (North-Western Australia) As A Springboard For Northbound Migration In Waders, With A Focus On Great Knots. *Emu*. at <<http://www.publish.csiro.au/paper/MU9940078>>
10. Rogers, D. *et al.* (2011) Shorebirds Of The Kimberley Coast – Populations, Key Sites, Trends And Threats. *J. R. Soc. West. Aust.* **94**, 377–391.
11. Lavers, J. L., Miller, M. G. R., Carter, M. J., Swann, G. and Clarke, R. H. (2014), Predicting the Spatial Distribution of a Seabird Community to Identify Priority Conservation Areas in the Timor Sea. *Conservation Biology*, **28**: 1699–1709.
12. Cresswell, I. & Semeniuk, V. (2011) Mangroves of the Kimberley Coast: Ecological Patterns In A Tropical Ria Coast Setting. *J. R. Soc. WA* **94**, 213–237.
13. Weeks, R., Aliño, P. & Atkinson, S. (2014) Developing Marine Protected Area Networks in the Coral Triangle: Good Practices for Expanding the Coral Triangle Marine Protected Area System. *Coast. Manag.* **42**, 183–205.
14. Magris, R. A., Pressey, R. L., Weeks, R. & Ban, N. C. (2014) Integrating Connectivity And Climate Change Into Marine Conservation Planning. *Biol. Conserv.* **170**, 207–221.
15. Fernandes, L., Green, A. & Tanzer, J. (2012) Biophysical Principles For Designing Resilient Networks Of Marine Protected Areas To Integrate Fisheries, Biodiversity And Climate Change Objectives In The Coral Triangle. Rep. Prep. by The Nature Conservancy for the Coral Triangle Support Partnership, 152.
16. Murray, S., Ambrose, R. & Bohnsack, J. (1999) No-Take Reserve Networks: Sustaining Fishery Populations And Marine Ecosystems. *Fisheries* **24**, 11–25.
17. Planes, S., Jones, G. & Thorrold, S. (2009) Larval Dispersal Connects Fish Populations In A Network Of Marine Protected Areas. *Proc. Natl. Acad. Sci.* **106**, 5693–5697.
18. Grorud-Colvert, K. *et al.* (2014) Marine Protected Area Networks: Assessing Whether The Whole Is Greater Than The Sum Of Its Parts. *PLoS One* **9**, e102298.

19. Durrant, H. M. S. *et al.* (2014) Implications Of Macroalgal Isolation By Distance For Networks Of Marine Protected Areas. *Conserv. Biol.* **28**, 438–45.
20. Kelaher, B. P. *et al.* (2014) Changes In Fish Assemblages Following The Establishment Of A Network Of No-Take Marine Reserves And Partially-Protected Areas. *PLoS One* **9**, e85825.
21. Lester, S. & Halpern, B. (2008) Biological Responses In Marine No-Take Reserves Versus Partially Protected Areas. *Mar. Ecol. Prog. Ser.* **367**, 49–56.
22. Lester, S. *et al.* (2009) Biological Effects Within No-Take Marine Reserves: A Global Synthesis. *Mar. Ecol. Prog. Ser.* **384**, 33–46.
23. Edgar, G., Stuart-Smith, R. & Willis, T. (2014) Global Conservation Outcomes Depend On Marine Protected Areas With Five Key Features. *Nature* **506**, 216–221.
24. Green, A. L. *et al.* (2014) Designing Marine Reserves for Fisheries Management, Biodiversity Conservation, and Climate Change Adaptation. *Coast. Manag.* **42**, 143–159.
25. Graham, N. & Ainsworth, T. (2011) in *Oceanogr. Mar. Biol. An Annu. Rev.* (eds. Gibson, R., Atkinson, R. & Gordon, J.) **49**, 117–148, CRC Press.
26. Worm, B. *et al.* (2006) Impacts Of Biodiversity Loss On Ocean Ecosystem Services. *Science* **314**, 787–90.
27. Botsford, L. W. *et al.* (2008) Connectivity, Sustainability, And Yield: Bridging The Gap Between Conventional Fisheries Management And Marine Protected Areas. *Rev. Fish Biol. Fish.* **19**, 69–95.
28. Russ, G. & Alcala, A. (2011) Enhanced Biodiversity Beyond Marine Reserve Boundaries: The Cup Spillover. *Ecol. Appl.* **21**, 241–250.
29. Cinner, J., Daw, T. & Huchery, C. (2014) Winners and Losers in Marine Conservation: Fishers' Displacement and Livelihood Benefits from Marine Reserves. *Soc. Nat. Resour.* **27**, 994–1005.
30. Koldewey, H. J., Curnick, D., Harding, S., Harrison, L. R. & Gollock, M. (2010) Potential benefits to fisheries and biodiversity of the Chagos Archipelago/British Indian Ocean Territory as a no-take marine reserve. *Mar. Pollut. Bull.* **60**, 1906–15.
31. Goñi, R. *et al.* (2008) Spillover From Six Western Mediterranean Marine Protected Areas: Evidence From Artisanal Fisheries. *Mar. Ecol. Prog. Ser.* **366**, 159–174.
32. Harmelinvivièn, M. *et al.* (2008) Gradients Of Abundance And Biomass Across Reserve Boundaries In Six Mediterranean Marine Protected Areas: Evidence Of Fish Spillover? *Biol. Conserv.* **141**, 1829–1839.
33. Bohnsack, J. A. (2011) Impacts of Florida Coastal Protected Areas on Recreational World Records for Spotted Seatrout , Red Drum, Black Drum and Common Snook. **87**, 939–970.

34. Roberts, C. (2012) Marine Ecology: Reserves Do Have A Key Role In Fisheries. *Curr. Biol.* **22**, R444–6.
35. Sala, E. *et al.* (2013) A General Business Model For Marine Reserves. *PLoS One* **8**, e58799.
36. McCook, L. J. *et al.* (2010) Adaptive Management Of The Great Barrier Reef: A Globally Significant Demonstration Of The Benefits Of Networks Of Marine Reserves. *Proc. Natl. Acad. Sci. U. S. A.* **107**, 18278–85.
37. McCartney, A. (2009) The Policy Relevance of Choice Modelling: An Application to the Ningaloo and Proposed Capes Marine Parks, Research paper, School of Agricultural and Resource Economics, University of Western Australia.
38. Borger, T. (2014) Valuing Conservation Benefits of an Offshore Marine Protected Area, *Ecological Economics* **108**, 229-241
39. Babcock, R., Haywood, M. & Vanderklift, M. (2008) Ecosystem Impacts Of Human Usage And The Effectiveness Of Zoning For Biodiversity Conservation: Broad-Scale Fish Census. WAMSI, Perth.
40. IUCN. (2014) *A strategy of innovative approaches and recommendations to enhance implementation of marine conservation in the next decade*. IUCN World Parks Congress. Sydney <http://worldparkscongress.org/downloads/approaches/ThemeM.pdf>
41. Masini, R. *et al.* (2009) Protecting The Kimberley: A Synthesis Of Scientific Knowledge To Support Conservation Management In The Kimberley Region Of Western Australia. Department of Environment & Conservation, Perth.
42. Obama, B. (2014) Presidential Proclamation: Pacific Remote Islands Marine National Monument Expansion. (Office of the Press Secretary).