

Accessing Care for Alcohol Use Disorders: Continuum of Care at SIUH



Harshal Kirane M.D.
Director of Addiction Services
Northwell Health - Staten Island University Hospital
Assistant Professor of Psychiatry
Hofstra/Northwell Health School of Medicine

Financial Disclosure

I have no conflicts of interests or financial disclosures related to this lecture material.

Outline

- I. Treatment Gaps**
 - I. Options for Care at SIUH**
 - Ancillary Withdrawal Management Program**
 - II. Discussion**
-

\$700,000,000,000


Annual US Economic Impact of SUD

SAMHSA's National Survey on Drug Use and Health


In 2014, 22.5 million people (~10% US pop.) aged 12 or older needed treatment for a drug or alcohol use.

Only 4.2 million (~20% of total) received any substance use treatment.

Unintentional overdose deaths by drug type and residence, 2013



Source: NYC Office of the Chief Medical Examiner and NYC DOHMH Bureau of Vital Statistics, 2013



A Broken Paradigm = CRISIS

- I. SUDs are a pervasive problem in our community**

 - II. Vast majority of individuals do NOT access care**
-

Central Dogma of Addiction Treatment

Detoxification




Rehabilitation



Maintenance

Comprehensive Treatment for Substance Use Disorders



Continuum of Care at SIUH

ED

DETOX

INPATIENT PSYCH

INPATIENT MEDICAL UNITS

OUTPATIENT SUD CLINICS

ANCILLARY WITHDRAWAL MANAGEMENT PROGRAM

Central Dogma of Addiction Treatment

Detoxification



ANCILLARY WITHDRAWAL MANAGEMENT PROGRAM



Maintenance

Pharmacologic Options for Alcohol Use Disorders

I. Maintenance/Cessation Options

Naltrexone

Campral

Disulfiram

II. Additional Options

Topiramate

Gabapentin

Ancillary Withdrawal Management Program

- I. Expand Access to Treatment Resources
 - II. Enhance Treatment Linkage
 - III. Reduce Stigma of Care
 - IV. Reduce Cost
 - V. Expand Research Infrastructure
-

WHO is a Candidate?

- **Hx of SUD or Physiological Dependence**
 - Opiates/Opioids
 - Alcohol
 - Benzodiazepines
 - Other
 - **Possible Exclusion Criteria: High-Risk Features**
 - Hx of Complicated W/D
 - Severe medical or psychiatric co-morbidity
 - Ongoing Poly-Substance Use
 - Pregnancy
 - Housing Instability
-

WHERE is the Program?

- **SIUH Ancillary W/D Program located at SIUH South Site**
392 Seguin Ave
 - **Refer your patients to Central Intake or contact AWD Program**
 - **Contact 718-226-2127 or 2327**
 - **Program open M-F (0800 - 1600)**
-

HOW does it Work?

- **Walk-in Clinic (Initially)**
 - **Engaged in treatment from Day 1**
 - **All patients are evaluated by a comprehensive team including:**
 - PA, RN, Social Worker, and MD
 - **Options to transition to higher levels of care**
-

Ancillary Withdrawal Management Program

An OPTION for CARE from:

COMMUNITY

ED

DETOX

INPATIENT PSYCH

INPATIENT MEDICAL UNITS

OUTPATIENT CLINICS

HOW does it Work?

Different Treatment Paths

Detoxification Only (Brief, Time-Limited Options)

Maintenance (Long-term Care)

Thank You

