MIHA Snapshot, Fresno County 2010

Maternal and Infant Health Assessment (MIHA) Survey

✓ better than rest of California ★ worse than rest of California • no statistical difference



	Fresno Coun			nty		California		
				Population			Population	
		%	95% CI	Estimate	%	95% CI	Estimate	
Prior Poor Birth Outcomes								
Prior low birth weight or preterm delivery	•	9.0	5.5 - 12.5	1,400	9.6	8.4 - 10.9	48,100	
Prior delivery by c-section	•	13.5	9.4 - 17.5	2,200	16.6	14.9 - 18.3	83,200	
Health Status								
In excellent/good health before pregnancy	•	90.5	86.7 - 94.2	14,500	89.0	87.7 - 90.4	445,300	
Chronic conditions before or during pregnancy								
Diabetes or gestational diabetes	•	11.8	7.7 - 15.9	1,900	12.1	10.7 - 13.4	60,200	
Hypertension, preeclampsia or eclampsia	•	11.1	7.1 - 15.0	1,700	10.0	8.8 - 11.3	49,100	
Asthma	•	9.9	6.4 - 13.4	1,600	7.1	6.2 - 8.0	35,300	
Nutrition and Weight								
Daily folic acid use, month before pregnancy	+	29.4	24.2 - 34.7	4,700	33.1	31.2 - 35.0	165,500	
Overweight before pregnancy	(x)	31.8	25.8 - 37.8	4,800	25.1	23.2 - 27.0	116,400	
Obese before pregnancy	+	22.3	17.1 - 27.6	3,400	20.0	18.3 - 21.8	92,800	
Inadequate weight gain during pregnancy	•	22.9	16.4 - 29.3	2,500	17.9	16.0 - 19.7	68,000	
Excessive weight gain during pregnancy	•	36.6	29.3 - 43.9	4,000	43.5	41.2 - 45.9	165,800	
Food insecurity during pregnancy	(x)	24.7	19.2 - 30.1	3,900	18.8	17.2 - 20.4	93,900	
Intimate Partner Violence (IPV) and Depression								
Physical IPV in the year before pregnancy	•	1.6	0.2 - 2.9	300	2.8	2.1 - 3.5	14,200	
Physical or psychological IPV during pregnancy	•	8.7	5.2 - 12.2	1,400	7.3	6.3 - 8.4	36,400	
Prenatal depression	•	19.7	14.6 - 24.8	3,100	15.0	13.5 - 16.4	74,700	
Postpartum depression	•	17.2	12.4 - 21.9	2,800	13.4	11.9 - 14.8	66,900	
Hardships and Support during Pregnancy								
Had "a lot" of unpaid bills	+	22.2	17.0 - 27.4	3,500	21.5	19.8 - 23.1	106,800	
Moved	•	29.4	23.9 - 35.0	4,700	28.8	27.0 - 30.7	143,700	
Woman or partner lost job	•	18.6	13.8 - 23.3	2,900	19.7	18.1 - 21.4	97,700	
Became separated or divorced	•	9.6	6.0 - 13.2	1,500	8.1	6.9 - 9.2	40,200	
Had no practical or emotional support	•	7.1	3.8 - 10.5	1,100	5.8	4.8 - 6.7	28,800	
Substance Use								
Any smoking, 3 months before pregnancy	•	9.5	6.3 - 12.8	1,500	12.5	11.2 - 13.7	62,000	
Any smoking, 1st or 3rd trimester	•	5.5	2.9 - 8.0	900	5.6	4.9 - 6.4	28,100	
Any binge drinking, 3 months before pregnancy	•	14.1	10.0 - 18.2	2,200	15.0	13.5 - 16.5	74,200	
Any alcohol use, 1st or 3rd trimester	✓	7.0	4.3 - 9.7	1,100	12.1	10.8 - 13.4	60,400	
Postpartum Discussions with Provider				•				
Discussed birth spacing	•	43.8	36.9 - 50.7	5,500	39.4	37.1 - 41.7	158,400	
Discussed postpartum birth control	•	91.7	88.3 - 95.2	14,700	87.6	86.0 - 89.1	432,900	
Infant Sleep and Breastfeeding				·			,	
Placed infant on back to sleep	•	74.4	69.0 - 79.8	11,500	74.4	72.5 - 76.4	360,100	
Intended to breastfeed, before birth	(x)	80.4	75.2 - 85.5	12,600	91.3	90.2 - 92.5	449,300	
Intended to breastfeed exclusively, before birth	×	43.9	38.3 - 49.5	6,900	60.6	58.6 - 62.6	298,200	
Breastfeeding practices	()			.,				
Any breastfeeding, 1 month after delivery	×	60.5	54.4 - 66.6	9,500	77.7	76.0 - 79.4	380,600	
Exclusive breastfeeding, 1 month after delivery	×	28.4	23.3 - 33.5	4,500	46.4	44.4 - 48.4	227,200	
Any breastfeeding, 3 months after delivery	×	45.6	38.1 - 53.2	4,600	59.5	57.0 - 61.9	211,000	
Exclusive breastfeeding, 3 months after delivery	(x)	18.3	13.1 - 23.6	1,900	31.6	29.4 - 33.8	112,100	
Health Care Utilization and Coverage	J			2,000	51.0	_5 55.0	112,100	
Mom uninsured before pregnancy		20.3	15.4 - 25.2	3,200	20.4	18.8 - 22.0	100,400	
Had a usual source of pre-pregnancy care	•	72.8	67.4 - 78.2	11,600	72.8	71.0 - 74.6	363,300	
Initiated prenatal care in 1st trimester	•	85.4	80.8 - 90.0	13,500	89.1	87.8 - 90.4	441,600	
Had a postpartum medical visit	•	82.4	77.6 - 87.2	13,100	85.9	84.4 - 87.3	427,300	
Mom or infant needed but couldn't afford care postpartum	✓	8.4	5.1 - 11.7	1,300	14.0	12.5 - 15.5	68,600	
	· · · · · · · · · · · · · · · · · · ·	J. T	J.2 11./	1,300	17.0	10.J	00,000	



MIHA Snapshot, Fresno County 2010

Maternal and Infant Health Assessment (MIHA) Survey

		Fresno County			California		
	%	95% CI	Population Estimate	%	95% CI	Population Estimate	
Public Program Participation							
Participated in WIC during pregnancy	72.2	69.3 - 75.1	11,500	55.1	54.1 - 56.2	275,400	
Received CalFresh (food stamps) during pregnancy	47.1	41.5 - 52.8	7,500	22.4	20.9 - 24.0	111,700	
Health Insurance Coverage							
Pre-pregnancy insurance							
Medi-Cal	47.5	41.7 - 53.3	7,500	29.7	28.0 - 31.5	146,300	
Uninsured	20.3	15.4 - 25.2	3,200	20.4	18.8 - 22.0	100,400	
Private or other	32.2	27.9 - 36.5	5,100	49.8	48.3 - 51.4	245,200	
Prenatal insurance							
Medi-Cal	70.0	65.9 - 74.0	11,200	52.0	50.5 - 53.5	259,800	
Uninsured	3.6	1.1 - 6.2	600	2.9	2.2 - 3.7	14,700	
Private or other	26.4	23.1 - 29.7	4,200	45.1	43.7 - 46.5	225,100	
Maternal postpartum insurance							
Medi-Cal	55.2	49.9 - 60.6	8,700	35.3	33.6 - 37.1	173,600	
Uninsured	14.9	10.4 - 19.3	2,400	17.3	15.7 - 18.8	84,900	
Private or other	29.9	26.2 - 33.7	4,700	47.4	45.9 - 48.9	232,900	
Infant health insurance							
Medi-Cal	67.9	63.5 - 72.2	10,500	49.0	47.3 - 50.6	237,900	
Healthy Families	2.2	0.6 - 3.8	300	3.8	3.1 - 4.6	18,600	
Uninsured	*			3.4	2.5 - 4.3	16,700	
Private or other	27.7	23.9 - 31.5	4,300	43.8	42.3 - 45.3	212,800	
Maternal Demographics							
Age							
15-19	14.0	9.6 - 18.4	2,200	8.9	7.7 - 10.0	44,400	
20-34	76.9	71.6 - 82.1	12,300	71.8	69.9 - 73.8	360,000	
35+	9.2	5.7 - 12. 6	1,500	19.3	17.6 - 21.0	96,800	
Did not complete high school (or GED)	29.6	23.9 - 35.3	4,700	20.4	18.8 - 22.0	101,900	
Unmarried	52.9	47.3 - 58.4	8,400	42.7	40.9 - 44.6	213,500	
Race/Ethnicity			•			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Hispanic	64.1	59.1 - 69.2	10,000	50.6	48.9 - 52.2	249,000	
Black	5.8	5.5 - 6.1	900	6.0	5.8 - 6.2	29,500	
White	19.7	15.9 - 23.5	3,100	29.3	27.8 - 30.8	144,200	
Asian/Pacific Islander	9.1	5.2 - 13.0	1,400	13.7	12.2 - 15.2	67,600	
Nativity and Language			_,			0.,000	
Born outside the U.S.	32.4	26.6 - 38.2	5,200	41.4	39.4 - 43.3	207,300	
Speaks non-English language at home	29.5	23.8 - 35.2	4,700	33.5	31.6 - 35.5	•	
Income as a percent of the Federal Poverty Guideline			•			,	
0-100%	58.4	53.2 - 63.6	8,700	44.0	42.3 - 45.7	206,700	
101-200%	21.2	15.9 - 26.4	3,200	20.0	18.3 - 21.7	94,100	
201-300%	6.6	3.9 - 9.2	1,000	8.0	7.0 - 9.1	37,800	
301-400%	2.6	1.1 - 4.1	400	6.5	5.6 - 7.4	30,400	
>400%	11.3	8.7 - 13.9	1,700	21.5	20.1 - 22.8	100,800	
	11.5	3.7 13.3	1,700	د.د.ع	-U.1 - ZZ.0	100,000	

^{*} Due to frequency < 10 women, data are not presented.

Notes: MIHA is an annual population-based survey of California resident women with a live birth in 2010, with a sample size of 6,817. Percent (%), 95% confidence interval (CI) and estimated number of women in the population with the health indicator/characteristic (i.e., numerator of the percent rounded to the nearest hundred) are weighted to represent all women with a live birth in California and county in 2010. Symbols indicate whether the health indicator in the county was statistically different from the rest of the state (p-value <0.05, chi-square test). Statistical comparisons were not conducted for demographics, health insurance, or public program participation. Prior low birth weight (<2,500 g) or preterm delivery (<37 weeks gestation) is presented for all women. More information on MIHA and the indicators above is on the MIHA website.

MIHA is a collaborative effort of the Maternal, Child and Adolescent Health and WIC Programs of the Center for Family Health, Colifornia Department of Public Health and the Center on Social Disparities in Health at the University of California, San Francisco. Visit the MIHA website of www.cdph.ca.gov/MIHA.