

Supporting Beneficial Birds and Managing Pest Birds References by Sections in the Booklet

Introduction

- Colman, N. 1885. Report of the Commissioner of Agriculture. Government Printing Office, Washington.
- Cornell Ornithology's All About Birds <https://www.allaboutbirds.org/>
- Luck, G. W. 2014. The net return from animal activity in agro-ecosystems: trading off benefits from ecosystem services against costs from crop damage. *F1000 Research* 2:239.
- Shave, M. E., Shwiff, S. A., Elser, J. L., Lindell, C. A. 2018. Falcons using orchard nest boxes reduce fruit-eating bird abundances and provide economic benefits for a fruit-growing region. *Journal of Applied Ecology*:1-10.

Accounts of Birds in Farm Fields

- Askham, L. R. 1990. Effect of artificial perches and nests in attracting raptors to orchards. *In* L.R. Davis and R.E. Marsh, editors. Effect of artificial perches and nests in attracting raptors to orchards, Proceedings of the 14th Vertebrate Pest Conference. University of California, Davis.
- Axelsen, J. A., Petersen, B. S., Maiga, I. H., Niassy, A., Badji, K., Ouambama, Z., Sonderskov, M., Kooyman, C. 2009. Simulation studies of Senegalese Grasshopper ecosystem interactions II: The role of egg pod predators and birds. *International Journal of Pest Management* 55:99-112.
- Barber, G. W. 1942. Control of earworms in corn by birds. *Journal of Economic Entomology* 35: 511-513.
- Baumgarnter, J. 2000. Bird and arthropod predation of Codling Moth in organic apple orchards. *Organic Farming Research Foundation's Information Bulletin*. Winter.
- Bigler, F., Neuenschwander, P., Delucchi, V., Michelakis, S. 1986. Natural enemies of preimaginal stages of *Dacus oleae* Gmel. (Dipt., Tephritidae) in Western Crete II. Impact on olive fly populations. *Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri*. 43:79-96.
- Bock, C. E., Bock, J. H., Grant, M. C. 1992. Effects of bird predation on grasshopper densities in an Arizona grassland. *Ecology* 73:1706-1717.
- Browning, M., Cleckler, J., Knott, K., Johnson, M. 2016. Prey consumption by a large aggregation of Barn Owls in an agricultural setting. Pages 337-344 *in* R. M. Timm and R. A. Baldwin, editors. Proceedings of the 27th Vertebrate Pest Conference. University of California, Davis.
- Cavalloro, R., Delrio, G. 1975. Observation on the distribution and survival of *Dacus oleae* pupae in the soil. *Redia* 56:167-176.
- Dolbeer, R. A. 1990. Ornithology and integrated pest management: Red-winged blackbirds *Agelaius phoeniceus* and corn. USDA Denver Wildlife Research Center.
- East, R., Pottinger, R. P. 1975. Starling (*Sturnus vulgaris* L.) predation on grass grub (*Costelytra zealandica* (White), Melolonthinae) populations in Canterbury. *New Zealand J. Agr. Res.* 18:417-452.

- Eilers, E. J., Klein, A. M. 2009. Landscape context and management effects on an important insect pest and its natural enemies in almond. *Biological Control* 51:388-394.
- Floyd, E. H., Mason, L. Phillips, S. 1969. Survival of overwintering Southwestern Corn Borers in corn stalks in Louisiana. *Journal of Economic Entomology* 62: 1016–1019.
- Forbush, E. H. 1908. *Useful Birds and Their Protection*. The Massachusetts State Board of Agriculture, Boston, MA.
- Fowler, A. C., Knight, R.L, George, T. L., McEwen, L. C. 1991. Effects of avian predation on grasshopper populations in North Dakota grasslands. *Ecology* 72:1775-1781.
- Fye, R. D. 1972. Bird predation on the European corn borer. *Farm Research*.
- Garcia, D., Minarro, M., Martinez-Sastre, R. 2018. Birds as suppliers of pest control in cider apple orchards: Avian biodiversity drivers and insectivory effect. *Agriculture Ecosystems & Environment* 254:233-243.
- Garfinkel, M., Johnson, M. 2015. Pest-removal services provided by birds on small organic farms in Northern California. *Agriculture Ecosystems & Environment* 211:24-31.
- Gonthier, D., Sciligo, A., Karp D., Lu, A., Garcia, K., Juarez, G., Chiba, T., Kremen, C. 2018. Managing the services and disservices of birds in California farmlands. *In revisions Journal of Applied Ecology*
- Gopali, J. B., Teggelli, R., Mannur, D. M., Yelshetty, S. 2009. Bird perches for sustainable management of pod borer, *Helicoverpa armigera* (Hubner) in chickpea ecosystem. *Karnataka Journal of Agricultural Science*, 22:541-543.
- Grass, I., Lehmann, K., Thies, C., Tscharnkte, T. 2017. Insectivorous birds disrupt biological control of cereal aphids. *Ecology* 98:1583-1590.
- Guenat, S. 2014. Assessing the effects of agroforestry practices on biological control potential in kale (*Brassica oleracea acephala*) plantations in Western Kenya. Master's Thesis. Swedish University of Agricultural Sciences.
- Heath, S. K. 2018. Avian diversity, pest-reduction services, and habitat quality in an intensive agricultural landscape: How effective is local biodiversity enhancement? Dissertation. University of California, Davis, Davis, California, USA.
- Heath, S. K., Soykan, C. U., Velas, K. L., Kelsey, R., Kross, S. M. 2017. A bustle in the hedgerow: Woody field margins boost on farm avian diversity and abundance in an intensive agricultural landscape. *Biological Conservation* 212:153-161.
- Hooks, C. R. R., Pandey, R. R., Johnson, M. W. 2003. Impact of avian and arthropod predation on lepidopteran caterpillar densities and plant productivity in an ephemeral agroecosystem. *Ecological Entomology* 28:522-532.
- Jedlicka, J. A., Greenberg, R., Letourneau, D. K. 2011. Avian conservation practices strengthen ecosystem services in California vineyards. *PLoS ONE* 6:8.
- Jedlicka, J. A., Vo, A. E., Almeida, R. P. P. 2017. Molecular scatology and high-throughput sequencing reveal predominately herbivorous insects in the diets of adult and nestling Western Bluebirds (*Sialia mexicana*) in California vineyards. *The Auk* 134:116-127.
- Joern, A. 1986. Experimental study of avian predation on coexisting grasshopper populations (Orthoptera: Acrididae) in a sandhills grassland. *Oikos*:243-249.
- Joern, A. 1992. Variable impact of avian predation on grasshopper assemblies in sandhills grassland. *Oikos*:458-463.

- Johnson, C. G., Nickerson, L. A., Bechard, M. J. 1987. Grasshopper consumption and summer flocks of nonbreeding Swainson's Hawks. *The Condor* 89:676–678.
- Jones, G. A., Sieving, K. E., Jacobson, S. K. 2005a. Avian diversity and functional insectivory on north-central Florida farmlands. *Conservation Biology* 19:1234-1245.
- Jones, G. A., Sieving, K. E., Avery, M. L., Meagher, R. L. 2005b. Parasitized and non-parasitized prey selectivity by an insectivorous bird. *Crop Protection* 24:185-189.
- Jones, G. A., Sieving, K. E. 2006. Intercropping sunflower in organic vegetables to augment bird predators of arthropods. *Agriculture Ecosystems & Environment* 117:171-177.
- Kay, B. J., Twigg, L. E., Korn, T. J., Nicol, H. I. 1994. The use of artificial perches to increase predation on house mice (*Mus-domesticus*) by raptors. *Wildlife Research* 21:95-106.
- Kelly, D., McCallum, K. 1990. Demography, seed biology and biological control of *Carduus nutans* in New Zealand. In J.P. Palmer, editor. *The biology and control of invasive plants. Proceedings of a conference of the BES*:72-79.
- Kirk, D. A., Evenden, M., Mineau, P. 1996. Past and current attempts to evaluate the role of birds as predators of insect pests in temperate agriculture. *Current Ornithology* 13:175–269.
- Kross, S. M., Tyljanakis, J. M., Nelson, X. J. 2012. Effects of introducing threatened falcons into vineyards on abundance of Passeriformes and bird damage to grapes. *Conservation Biology* 26:142-149.
- Kross, S. M., Baldwin, R. A. 2016. Gopherbusters? A Review of the candidacy of Barn Owls as the ultimate natural pest control option. Pages 345-352 in R. M. Timm and R. A. Baldwin, editors. *Proceedings of the 27th Vertebrate Pest Conference*. University of California, Davis.
- Kross, S. M., Kelsey, T. R., McColl, C. J., Townsend, J. M. 2016a. Field-scale habitat complexity enhances avian conservation and avian-mediated pest-control services in an intensive agricultural crop. *Agriculture Ecosystems & Environment* 225:140-149.
- Labuschagne, L., Swanepoel, L. H., Taylor, P. J., Belmain, S. R., Keith, M. 2016. Are avian predators effective biological control agents for rodent pest management in agricultural systems? *Biological Control* 101:94-102.
- Lemessa, D., Samnegard, U., Hamback, P. A., Hylander, K. 2015. Tree cover mediates the effect on rapeseed leaf damage of excluding predatory arthropods, but in an unexpected way. *Agriculture Ecosystems & Environment* 211:57-64.
- Luck 2014. *op. cit.*
- Machar, I., Harmacek, J., Vrublova, K., Filippovova, J., Brus, J. 2017. Biocontrol of common vole populations by avian predators versus rodenticide application. *Polish Journal of Ecology* 65:434-444.
- Martin, E. A., Reineking, B., Seo, B., Steffan-Dewenter, I. 2015. Pest control of aphids depends on landscape complexity and natural enemy interactions. *Peerj* 3:22.
- McEwen, L. C., Dewese, L. R., Schladweiler, P. 1986. Bird predation on cutworms (Lepidoptera: Noctuidae) in wheat fields and chlorpyrifos effects on brain cholinesterase activity. *Environmental Entomology* 15:147-151.
- Mols, C. M. M., Visser, M. E. 2002. Great Tits can reduce caterpillar damage in apple orchards. *Journal of Applied Ecology* 39:888-899.

- Mols, C. M. M., Visser, M. E. 2007. Great Tits (*Parus major*) reduce caterpillar damage in commercial apple orchards. *PLoS ONE* 2:3.
- Ndang'ang'a, P. K., Njoroge, J. B. M., Ngamau, K., Kariuki, W., Atkinson, P. W., Vickery, J. 2013. Avian foraging behavior in relation to provision of ecosystem services in a highland East African agroecosystem. *Bird Study* 60:156-168.
- Novak, K., Torfeh D. 2017. Raptor pilot study for levee protection: Integrated pest management program. Ventura County Public Works Agency Watershed Protection District.
- Odell, T. T. 1927. The food of orchard birds with special reference to the Pear Psylla. *Bulletin of the NY Agriculture Experiment Station, Geneva, NY*: 1-19.
- Orlowski, G., Karg, J., Karg, G. 2014. Functional invertebrate prey groups reflect dietary responses to phenology and farming activity and pest control services in three sympatric species of aerially foraging insectivorous birds. *PLoS ONE* 9:18.
- Parasharya, B. M., Dodia, J. F., Mathew, K. L., Yadav, D. N. 1996. The role of birds in the natural regulation of *Helicoverpa armigera* Hubner in wheat. *Pavo* 34:33-38.
- Peisley, R. K., Saunders, M. E., Luck, G. W. 2017. Providing perches for predatory and aggressive birds appears to reduce the negative impact of frugivorous birds in vineyards. *Wildlife Research* 44:334-342.
- Peisley, R. K., Saunders, M. E., Luck, G. W. 2016. Cost-benefit trade-offs of bird activity in apple orchards. *PeerJ* 4.
- Pienkowski, M., G. Beaufoy G. 2000. The environmental impact of olive oil production in the European Union: Practical options for improving the environmental impact. *European Forum on Nature Conservation and Pastoralism and the Asociación para el Análisis y Reforma de la Política Agro-rural*.
- Puckett, H. L., Brandle, J. R., Johnson, R. J., Blankenship, E. E. 2009. Avian foraging patterns in crop field edges adjacent to woody habitat. *Agriculture Ecosystems & Environment* 131: 9-15.
- Shave et al. 2018 *op. cit.*
- Solomon, M.E., Glen, D.M., Kendall, D.A., Milsom, N.F. 1976. Predation of overwintering larvae of Codling Moth (*Cydia Pomonella* (L.)) by birds. *Journal of Applied Ecology*: 341-352.
- Solomon, M. E., Glen D. M. 1979. Prey density and rates of predation by Tits (*Parus* Spp.) on larvae of Codling Moth (*Cydia Pomonella*) under bark. *Journal of Applied Ecology* 16: 49-59.
- Strandberg, J. O. 1981. Predation of cabbage looper, *Trichoplusia ni*, pupae by the Striped Earwig, *Labidura riparia*, and two bird species. *Environmental Entomology* 10:712-715.
- Strong, A. M., Sherry, T. W., Holmes, R. T. 2000. Bird predation on herbivorous insects: Indirect effects on sugar maple saplings. *Oecologia* 125:370-379.
- Tamburini, G., De Simone, S., Sigura, M., Boscutti, F., Marini, L. 2016. Conservation tillage mitigates the negative effect of landscape simplification on biological control. *Journal of Applied Ecology* 53:233-241.
- Tremblay, A. 1999. The role of birds as predators and potential biocontrol agents of insect pests in corn fields. Department of Natural Resources Sciences, Macdonald Campus of McGill University.
- Tremblay, A., Mineau, P., Stewart, R. K. 2001. Effects of bird predation on some pest insect populations in corn. *Agriculture Ecosystems & Environment* 83: 143-152.

- van Groenigen, J. W., Burns, E. G., Eadie, J. M., Horwath, W. R., van Kessel, C. 2003. Effects of foraging waterfowl in winter flooded rice fields on weed stress and residue decomposition. *Agriculture Ecosystems & Environment* 95:289-296.
- Walton, W. R. 1916. The true army worm and its control. USDA Farmer's Bulletin 731.
- Wendt, C. A., Johnson, M. D. 2017. Multi-scale analysis of barn owl nest box selection on Napa Valley vineyards. *Agriculture Ecosystems & Environment* 247:75-83.
- Whitcomb, W. H. 1971. The tufted titmouse, *Parus bicolor*, as a predator of the Pecan Nut Casebearer *Acrobasis caryae*. Pages 305-308 in S. E.V. Komarek, Conference Chairperson, editor. Proceedings of the Tall Timbers Conference on Ecological Animal Control by Habitat Management, Tall Timbers Research Station, Tallahassee, Florida.
- Winqvist, C., Bengtsson, J., Aavik, T., Berendse, F., Clement, L. W., Eggers, S., Fischer, C., Flohre, A., Geiger, F., Liira, J., Part, T., Thies, C., Tschardtke, T., Weisser, W. W., Bommarco, R. 2011. Mixed effects of organic farming and landscape complexity on farmland biodiversity and biological control potential across Europe. *Journal of Applied Ecology* 48:570-579.
- Zajac, R. 1980. Influence of bird feeding on the number of overwintering larvae of Codling Moth, *Laspeyresia Pomonella* (L.), in orchards of Central Poland. *Ekologia Polska. Polish Journal of Ecology*.

How Birds' Diets, Foraging Strategies and Nesting Periods Affect the Farm

- Amo, L., Jansen, J. J., van Dam, N. M., Dicke, M., Visser, M. E. 2013. Birds exploit herbivore-induced plant volatiles to locate herbivorous prey. *Ecology Letters* 16:1348-1355.
- Batary, P., Matthiesen, T., Tschardtke, T. 2010. Landscape-moderated importance of hedges in conserving farmland bird diversity of organic vs. conventional croplands and grasslands. *Biological Conservation* 143:2020-2027.
- De Graaf, R. M., Tilghman, N. G., Anderson, S. H. 1985. Foraging guilds of North American birds. *Environmental Management* 9:493-536.
- Dolbeer, R. A. 1980. Blackbirds and corn in Ohio. Fish and Wildlife Service. Sandusky, OH.
- Freemark, K. E., Kirk, D. A. 2001. Birds on organic and conventional farms in Ontario: Partitioning effects of habitat and practices on species composition and abundance. *Biological Conservation* 101:337-350.
- Heath, S. K., Soykan, C. U., Velas, K. L., Kelsey, R., Kross, S. M. 2017. A bustle in the hedgerow: Woody field margins boost on farm avian diversity and abundance in an intensive agricultural landscape. *Biological Conservation* 212:153-161.
- Heath, S. K. 2018. Avian diversity, pest-reduction services, and habitat quality in an intensive agricultural landscape: How effective is local biodiversity enhancement? Dissertation. University of California, Davis, Davis, California, USA.
- Johnson, R. J, Beck, M. M. 1988. Influences of shelterbelts on wildlife management and biology. *Agriculture Ecosystems & Environment* 22:301-335.
- Karp, D., Chaplin-Kramer, S, R., Meehan, T. D., Martin E. A. et al. 2018. Crop pests and predators exhibit inconsistent responses to surrounding landscape composition. PNAS www.pnas.org/cgi/doi/10.1073/pnas.1800042115.
- Kross and Baldwin 2016 *op. cit.*
- Kross et al. 2016a *op. cit.*

- Losey, J. E., Vaughan, M. 2006. The economic value of ecological services provided by insects. *AIBS Bulletin* **56**:311-323.
- McFarlane, R. W. 1976. Birds as agents of biological control [Insectivorous predators]. *Biologist*.
- Narango, D. L., Tallamy, D. W., Marra, P. P. 2017. Native plants improve breeding and foraging habitat for an insectivorous bird. *Biological Conservation* **213**:42-50.
- Narango, D. L., Tallamy, D. W., Marra, P. P. 2018. Nonnative plants reduce population growth of an insectivorous bird. *Proceedings of the National Academy of Sciences*:201809259.
- Nyffeler, M., Şekercioğlu, Ç. H., Whelan, C. J. 2018. Insectivorous birds consume an estimated 400–500 million tons of prey annually. *The Science of Nature* **105**:47.
- Sekercioglu, C. 2006. Ecological significance of bird populations. *Handbook of the Birds of the World* **11**:15-51.
- Sieving, K. E., Hetrick, S. A., Avery, M. L. 2010. The versatility of graded acoustic measures in classification of predation threats by the Tufted Titmouse *Baeolophus bicolor*: Exploring a mixed framework for threat communication. *Oikos* **119**:264-276.
- Tallamy, D. W. 2007. Bringing nature home: How you can sustain wildlife with native plants. www.timberpress.com, Portland, OR.
- Tamburini, G., De Simone, S., Sigura, M., Boscutti, F., Marini, L. 2016. Conservation tillage mitigates the negative effect of landscape simplification on biological control. *Journal of Applied Ecology* **53**:233-241.
- Tscharntke, T., Sekercioglu, C. H., Dietsch, T. V., Sodhi, N. S., Hoehn, P., Tylianakis, J. M. 2008. Landscape constraints on functional diversity of birds and insects in tropical agroecosystems. *Ecology* **89**:944-951.
- Young, J. 2012. What the robin knows: How birds reveal the secrets of the natural world. Houghton Mifflin Harcourt.

How Best to Manage and Co-Exist with Pest Birds

- 50CFR 21 Subpart D—Control of depredating and otherwise injurious birds. Title 50: Wildlife and Fisheries, Part 21-Migratory Bird Permits
- Anderson, A., Lindell, C. A., Moxcey, K. M., Siemer, W. F. et al. 2013. Bird damage to select fruit crops: The cost of damage and the benefits of control in five states. *Crop Protection* **52**:103-109.
- Baldwin, R. A., Salmon, T. P., Schmidt, R. H., Timm, R. M. 2013. Wildlife pests of California agriculture: Regional variability and subsequent impacts on management. *Crop Protection* **46**:29-37.
- Brennan 2019. Personal communication, January 22.
- Brittingham, M. C., Falker, S. T. 1999. Controlling birds around farm buildings. Penn State Extension.
- Bullard, R. W. 1988. Characteristics of bird-resistance in agricultural Crops. Pages 305-309 *in* A. C. a. R. E. M. Crabb, editor. *Vertebrate Pest Conference*.
- Chien, M. 2012. Late season bird and deer control in vineyards. Pennsylvania State University.
- Crabb, A. C., Salmon, T. P., Marsh, R. E. 1986. Bird problems in California pistachio production.
- Deschenes, M., Belanger, L., Giroux, J. F. 2003. Use of farmland riparian strips by declining and crop damaging birds. *Agriculture Ecosystems & Environment* **95**:567-577.

- Devereux, C. L., Whittingham, M. J., Fernandez-Juricic, E., Vickery, J. A., Krebs, J. R. 2006. Predator detection and avoidance by starlings under differing scenarios of predation risk. *Behavioral Ecology* **17**:303-309.
- Dolbeer, R. A. 1990. Ornithology and integrated pest management: Red-winged blackbirds *Agelaius phoeniceus* and corn. USDA Denver Wildlife Research Center.
- Felger, B. Air Strike. 2018. Personal communication. December 18.
- Fernandez-Juricic 2018 Personal communication. November 19.
- Foster, P. 2018. Personal communication. March 17.
- Hawley, J. 2018. Personal communication. December 15.
- Jobin, B., Choiniere, L. Belanger, L. 2001. Bird use of three types of field margins in relation to intensive agriculture in Quebec, Canada. *Agriculture Ecosystems & Environment* **84**:131-143.
- Kross, S. M. 2012. The efficacy of reintroducing the New Zealand falcon into the vineyards of Marlborough for pest control and falcon conservation. University of Canterbury, Christchurch, New Zealand.
- Lindell, C. 2014. The economic impact of bird damage to select fruit crops in Michigan. MI State University
- Lindell, C., K. Steensma, P. Curtis et al. 2016. Proportions of bird damage in tree fruits are higher in low-fruit-abundance contexts. *Crop Protection* **90**.
- Lindell, C., Eaton, R. A., Howard, P. H., Roels, S. M., Shave, M. E. 2018. Enhancing agricultural landscapes to increase crop pest reduction by vertebrates. *Agriculture Ecosystems & Environment* **257**:1-11.
- Linz, G. M., Homan, H. Jeffrey, Werner, Scott J., Hagy, Heath M., Bleier, William J. 2011. Assessment of bird-management strategies to protect sunflowers. *Bioscience* **61**:960-970.
- Northwest Berry Foundation. Falconry in pest bird management <http://www.nwberryfoundation.org/raptors/Abatement.html>
- Schäckermann, J., Mandelik, Y., Weiss, N., von Wehrden, H. Klein, A. 2015. Natural habitat does not mediate vertebrate seed predation as an ecosystem dis-service to agriculture. *Journal of Applied Ecology* **52**.
- Shave, M. E., Shwiff, S. A., Elser, J. L., Lindell, C. A. 2018. Falcons using orchard nest boxes reduce fruit-eating bird abundances and provide economic benefits for a fruit-growing region. *Journal of Applied Ecology*:1-10.
- Shwiff, S. A., Kirkpatrick, K. N., Sterner, R. T., Gebhardt, K. 2008. The economic impacts of bird and rodent damage to California crops: A methodology to select counties for input-output modeling. Proc. 23rd Vertebr. Pest Conf.
- Somers, C. M., Morris, R. D. 2002. Birds and wine grapes: Foraging activity causes small-scale damage patterns in single vineyards. *Journal of Applied Ecology* **39**:511-523.
- Sprinkel, S. 2017. Personal communication. June 12.
- Spurr, E. B., Coleman, J.D. 2005. Cost-effectiveness of bird repellents for crop protection. 13th Australasian Vertebrate Pest Conference, Wellington, New Zealand, 2-6 May: 227-233. Washington State University. Whatcom County Extension. Integrated pest management for blueberries. <http://www.whatcom.wsu.edu/ipm/manual/blue/birds.html>
- White, H. M., Long, R. F., Velas, K., Rayburn, A. P., Rockey, W. L., Kelsey, R. 2012. Avian use of hedgerows and adjacent crops in Central California agricultural landscapes.

Whitehead, S. C., Wright, J., Cotton, P. A. 1995. Winter field use by the European Starling *Sturnus-Vulgaris* - habitat preferences and the availability of prey. *Journal of Avian Biology* **26**:193-202.

Wong, E. L., and S. M. Kross. 2018. Effects of perch location on wintering raptor use of artificial perches in a California vineyard. *Journal of Raptor Research* **52**:250-256.

What Farmers Can Do to Make Farms More Bird-Friendly and Resilient

Anderson, P., Wecker, M. 2011. Snags – The wildlife tree: The importance of snags in your neighborhood. *In Living with Wildlife*, WA Department of Fish and Wildlife. Olympic, WA.

Audubon's Native Plant online database. <https://www.audubon.org/native-plants>

Bird, J. A., G. S. Pettygrove and J. M. Eadie 2000. The impact of waterfowl foraging on the decomposition of rice straw: Mutual benefits for rice growers and waterfowl. *Journal of Applied Ecology* **37**:728-741.

Baumgartner, J., Lowell, K., Donavan, M. 2016. Co-Managing Farm Stewardship with Food Safety GAPs and Conservation Practices: A Grower's and Conservationist's Handbook. Wild Farm Alliance.

https://www.wildfarmalliance.org/food_safety_and_conservation_resources

Best, L. B., Whitmore, R. C., Booth, G. M. 1990. Use of cornfields by birds during the breeding season: The importance of edge habitat. *American Midland Naturalist*: 84-99.

Cornell Ornithology's All About Birds <https://www.allaboutbirds.org/>

Cornell Ornithology's Merlin Cell Phone App. <http://merlin.allaboutbirds.org/>

Cornell Ornithology's eBir. <https://ebird.org/home>

Donazar, J. A., Cortes-Avizanda, A., Fargallo, J. A., Margalida, A., Moleon, M., Morales-Reyes, Z., Moreno-Opo, R., Perez-Garcia, J. M., Sanchez-Zapata, J. A., Zuberogoitia, I., Serrano, D. 2016. Roles of raptors in a changing world: From flagships to providers of key ecosystem services. *Ardeola* **63**:181-234.

Eng, M. L., Stutchbury, B. J. M., Morrissey, C. A. 2017. Imidacloprid and chlorpyrifos insecticides impair migratory ability in a seed-eating songbird. *Scientific Reports* **7**.

Fang, Q., Chen, Y. Z., Huang, S. Q. 2012. Generalist passerine pollination of a winter-flowering fruit tree in central China. *Annals of Botany* **109**:379-384.

Freemark and Kirk 2001 *op. cit.*

Food and Drug Administration. Standards for the Growing, Harvesting, Packing, and Holding of Produce for Human Consumption. 2015.

<https://www.federalregister.gov/documents/2015/11/27/2015-28159/standards-for-the-growing-harvesting-packing-and-holding-of-produce-for-human-consumption>

Hallmann, C. A., Foppen, R. P. B., van Turnhout, C. A. M., de Kroon, H., Jongejans, E. 2014. Declines in insectivorous birds are associated with high neonicotinoid concentrations. *Nature* **511**:341.

Hinsley, S. A., Bellamy, P. E. 2000. The influence of hedge structure, management and landscape context on the value of hedgerows to birds: A review. *Journal of Environmental Management* **60**:33-49.

Hougnér, C., J. Colding, and T. Soderqvist. 2006. Economic valuation of a seed dispersal service in the Stockholm National Urban Park, Sweden. *Ecological Economics* **59**:364-374.

Jobin, et al. 2001 *op. cit.*

Johnson and Beck 1988. *op. cit.*

Johnson, R. J., Brandle, J. R., Sunderman, N., Fitzmaurice, R., Beecher, N. A., Case, R. M., Dix, M., Young, L., Harrell, M. O., Wright, R. J. 1996. Wildlife as natural enemies of crop pests. 8th Triennial National Wildlife & Fisheries Extension Specialists Conference. 24.

<https://digitalcommons.unl.edu/ewfsc8/24>

Johnson, R. J., Jedlicka, J. A., Quinn, J. E., Brandle, J. R. 2011. Global perspectives on birds in agricultural landscapes. *In* Integrating agriculture, conservation and ecotourism: Examples from the field, issues in agroecology – present status and future prospectus. Campbell, W. B., López Ortíz, S., Editors. Springer Science+Business Media.

Karp, D. S., Gennet, S., Kilonzo, C., Partyka, M., Chaumont, N., Atwill, E. R., Kremen, C. 2015. Comanaging fresh produce for nature conservation and food safety. Proceedings of the National Academy of Sciences **112**:11126-11131.

Kelly and McCallum 1990 *op. cit.*

Kilonzo, C., Xunde Li, Eduardo J. Vivas, Michele T. Jay-Russell, Kristine L. Fernandez, and Edward R. Atwill. 2013. Fecal shedding of zoonotic food-borne pathogens by wild rodents in a major agricultural region of the Central California Coast. Appl. Environ. Microbiol.

Michelson, C. I., Clark, R. G., Morrissey, C. A. 2018. Agricultural land cover does not affect the diet of Tree Swallows in wetland-dominated habitats. The Condor **120**:751-764.

Michigan State University IPM Program - www.canr.msu.edu/ipm/

Native Plant Database. Audubon. www.audubon.org/native-plants

Nest Watch. All About Bird Houses. Cornell Lab of Ornithology. <https://nestwatch.org/learn/all-about-birdhouses/>

NRCS Indiana, N. 2009. Raptor Perches. Natural Resources Conservation Service.

Palmer, C. Comments on registration review dockets (81 Fed. Reg. 21339). American Bird Conservancy. June 2016.

Puckett, H. L., Brandle, J. R., Johnson, R. J., Blankenship, E. E. 2009. Avian foraging patterns in crop field edges adjacent to woody habitat. Agriculture Ecosystems & Environment **131**:9-15.

Sellers, L. A., Long, R. F., Jay-Russell, M. T., Li, X. D., Atwill, E. R., Engeman, R. M., Baldwin, R. A. 2018. Impact of field-edge habitat on mammalian wildlife abundance, distribution, and vectored foodborne pathogens in adjacent crops. Crop Protection **108**:1-11.

Smukler, S. M., Sánchez-Moreno, S., Fonte, S.J., Ferris, H., Klonsky, K., O'Geen, A.T., Scow, K.M., Steenwerth, K.L., Jackson, L.E. 2010. Biodiversity and multiple ecosystem functions in an organic farmscape. Agriculture, Ecosystems & Environment **139**:80-97.

Stewart, A. M., Craig, J. L. 1989. Factors affecting pollinator effectiveness in *Feijoa sellowiana*. New Zealand Journal of Crop and Horticultural Science.

University of California IPM Program - www.ipm.ucanr.edu/

Young 2012 *op. cit.*

Historic and Current Knowledge of the Role Birds Play in Agriculture

Carson, R. 2009. Silent spring. 1962.

Checklist of North and Middle American Birds. American Ornithological Society.

<http://www.americanornithology.org/>

Forbush 1908 *op. cit.*

Garfinkel and Johnson 2015 *op. cit.*
 Jedlicka et al. 2017 *op. cit.*
 Kirk, D. A., Evenden, M., Mineau, P. 1996. Past and current attempts to evaluate the role of birds as predators of insect pests in temperate agriculture. *Current Ornithology* **13**:175–269.
 Kronenberg, J. 2014. What can the current debate on ecosystem services learn from the past? Lessons from economic ornithology. *Geoforum* **55**:164-177.
 Kross and Baldwin 2016 *op. cit.*
 McAtee, W. 1920. Local suppression of agricultural pests by birds, Annual Report.
 Mols and Visser 2002 *op. cit.*
 Mols and Visser 2007 *op. cit.*
 Odell 1927 *op. cit.*
 USDA Yearbook of Agriculture 1885
 USDA Yearbook of Agriculture 1886
List researchers in these states:
 Sara Kross, Columbia University, NY; Sacha Heath, UC Davis, CA; Matthew Johnson, Humboldt State University, CA; Daniel Karp, UC Davis, CA; Olivia Smith, Washington State University, WA; Megan Garfinkel, University of Illinois at Chicago, IL; Paula Rivadeneira, University of Arizona, AZ; Catherine Lindell, Michigan State University, MI; Liba Pejchar, Colorado State University, CO; David Gontheir, University of Kentucky, KY; and Julie Jedlicka, Missouri Western State University, MO

Impacts to Insects and Birds

American Bird Conservancy. Pesticides in Food Crops.
<https://abcbirds.org/program/pesticides/food-crops/>
 Allinson T., V., E., Burfield, I., Butchart, S., Dale, A., Heath, M. (eds.). 2018. State of the world's birds: taking the pulse of the planet. Cambridge, UK.
 Bardenhagen, C., P. Howard, and S. Gray. 2018. Industry-wide interest in increasing conservation practices as a marketing tool: Falcons and fruit in the United States. AFHVS, Madison, WI.
 Green, R. E., S. J. Cornell, J. P. W. Scharlemann, and A. Balmford. 2005. Farming and the fate of wild nature. *Science* **307**:550-555.
 Hallmann, C. A., M. Sorg, E. Jongejans, H. Siepel, N. Hofland, H. Schwan, W. Stenmans, A. Müller, H. Sumser, and T. Hörrén. 2017. More than 75 percent decline over 27 years in total flying insect biomass in protected areas. *PLoS ONE* **12**:e0185809.
 Johnson, R. J., and J. A. Jedlicka, J. E. Quinn, and J. R. Brandle. 2011. Global Perspectives on Birds in Agricultural Landscapes. *in* W. B. C. a. S. L. Ortíz, editor. Integrating Agriculture, Conservation and Ecotourism: Examples from the Field, Issues in Agroecology – Present Status and Future Prospectus. Springer Science+Business Media.
 Kross, S. M., K. P. Ingram, R. F. Long, and M. T. Niles. 2018. Farmer perceptions and behaviors related to wildlife and on-farm conservation actions. *Conservation Letters* **11**:e12364.
 Lister, B. C., and A. Garcia. 2018. Climate-driven declines in arthropod abundance restructure a rainforest food web. *Proceedings of the National Academy of Sciences*:201722477.

- Oh, C., Z. Herrnstadt, and P. Howard 2015. Consumer willingness to pay for bird management practices in fruit crops. *Agroecology and Sustainable Food Systems* **39**:782-797.
- Society, N. A. 2014. *Audubon's Birds and Climate Change Report: A Primer for Practitioners*. National Audubon Society, New York.
- Robinet, C., Roques, A. 2010. Direct impacts of recent climate warming on insect populations. *Integrative Zoology* **5**:132-142.
- Stein, B. A., L. S. Kutner, and J. S. Adams, eds. 2000. *Precious Heritage: The Status of Biodiversity in the United States*. New York: Oxford University Press

Appendix

- Anderson. M. 2018. Personal communication, Oct 31.
- Askham 1990 *op. cit.*
- Axelsen et al. 2009 *op. cit.*
- Barbaro, L., A. Rusch, E. W. Muiruri, B. Gravellier, D. Thiery, and B. Castagneyrol. 2017. Avian pest control in vineyards is driven by interactions between bird functional diversity and landscape heterogeneity. *Journal of Applied Ecology* **54**:500-508.
- Barber 1942 *op. cit.*
- Baumgartner, J. 2000. *op. cit.*
- Baumgartner, J. 1999. Bird and arthropod predation of codling moth in apple orchards.
- Baxter, A. 2007. Laser dispersal of gulls from reservoirs near airports.
- Benayas, J. M. R., J. Meltzer, D. de las Heras-Bravo, and L. Cayuela. 2017. Potential of pest regulation by insectivorous birds in Mediterranean woody crops. *PLoS ONE* **12**.
- Bendell, B. E., P. J. Weatherhead, R. K. Stewart 1981. The impact of predation by red-winged blackbirds on European corn borer populations. *Canadian Journal of Zoology* **59**:1535-1538.
- Bharucha, B. a. G. S. P. 2010. Assessment of beneficial role of an insectivorous bird, jungle babbler (*Turdoides striatus*) predation, on *Helicoverpa armigera* infesting pigeon pea (*Cajanus cajan*) crop. *Acta Agronómica* **59**:228-235.
- Bigler et al. 1986 *op. cit.*
- Bird et al. 2000 *op. cit.*
- Black, E. R., Jr., F. M. Davis, E. A. Henderson, and W. A. Douglas. 1970. The role of birds in reducing overwintering populations of the southwestern corn borer, *Diatraea grandiosella* (Lepidoptera: Crambidae), in Mississippi. *Ann. Entomol. Soc. Am.* **63**:701-706.
- Bock et al. 1992 *op. cit.*
- Bollinger, E. K. a. J. W. C. 1985a. Red-winged blackbird predation on northern corn rootworm beetles in field corn. *J Appl Ecol* **22**:39-48.
- Bollinger, E. K. a. J. W. C. 1985b. Northern corn rootworm beetle *Diabrotica longicornis* densities near a red-winged blackbird *Agelaius phoeniceus* roost. *Canadian Journal of Zoology* **63**:502-505.
- Borkhataria, R. R., Nuessly, G. S., Pearlstine, E., Cherry, R. H. 2012. Effects of Blackbirds (*Agelaius phoeniceus*) on stink bug (Hemiptera: Pentatomidae) populations, damage, and yield in Florida rice. *Florida Entomologist* **95**:143-149.
- Brennan, E. 2018. *op. cit.*

Browning et al. 2016 *op. cit.*

Bullard 1988 *op. cit.*

Castañeda, X. A. 2018. Hunting habitat use and selection patterns of barn owl (*Tyto Alba*) in the urban-agricultural setting of a prominent wine grape growing region of California. Master's Thesis. California State University, Humboldt State.

Cavalloro and Delrio 1975 *op. cit.*

Chakravarthy, A. K. 1992. Bird predators of pod borers of field bean Tropical Pest Management. Department of Agriculture, 1911, 237-246. Washington D. C.: Government Printing

Deschenes et al. 2003 *op. cit.*

Devereux, et al. 2006 *op. cit.*

Dolbeer 1990 *op. cit.*

Dolbeer, R. A., Woronecki, P. P., Bruggers, R. L. 1986. Reflecting tapes repel blackbirds from millet, sunflowers, and sweet corn. Wildlife Society Bulletin (1973-2006) **14**:418-425.

East and Pottinger 1975 *op. cit.*

Eilers and Klien 2009 *op. cit.*

Fang et al. 2012 *op. cit.*

Fernandez-Juricic 2018 *op. cit.*

Floyd et al. 1969 *op. cit.*

Forbush 1908 *op. cit.*

Fowler et al. 1991 *op. cit.*

Fye 1972 *op. cit.*

Fye, R. E. 1982. The Birds and the Psyllas. USDA, Washington, DC.

Garcia et al. 2018 *op. cit.*

Garfinkel and Johnson 2015 *op. cit.*

Genung, W. G. a. V. E. G. J. 1974. Food habits of the meadowlark in the Everglades in relation to agriculture. Environmental Entomology **3**:39-42.

Genung, W. G., Janes, Melvin J, Green Jr, Victor E. 1976. Insects and other dietary items of Maynard's red-wing blackbird in relation to agriculture. Florida Entomologist **59**:309-316.

Girard, J., Baril, A., Mineau, P., Fahrig, L. 2012. Foraging habitat and diet of Song Sparrows (*Melospiza melodia*) nesting in farmland: a stable isotope approach. Canadian Journal of Zoology-*Revue Canadienne De Zoologie* **90**:1339-1350.

Gonthier et al. 2018 *op. cit.*

Gopali et al. 2009 *op. cit.*

Grass et al. 2017 *op. cit.*

Grasswitz, T. R. a. D. J. 2011. Phenology and impact of natural enemies associated with the hop looper (*Hypona humuli*) in Washington State, USA. International Journal of Pest Management **57**:329-339.

Grasswitz, T. R. a. O. F. 2013. Efficacy of a physical method for control of direct pests of apples and peaches. Journal of Applied Entomology **137**:790-800.

Greenberg, R., Bichier, P., Angon, A. C., MacVean, C., Perez, R., Cano, E. 2000. The impact of avian insectivory on arthropods and leaf damage in some Guatemalan coffee plantations. Ecology **81**:1750-1755.

Guenat 2014 *op. cit.*

- Hagley, E. A. C. 1970. Distribution and survival of overwintering codling moth larvae in southern Ontario. Entomological Society Ontario Proceedings.
- Heath et al. 2017. *op. cit.*
- Heath 2018. *op. cit.*
- Holmes, R. J., Froud-Williams, R. J. 2005. Post-dispersal weed seed predation by avian and non-avian predators. Agriculture Ecosystems & Environment **105**:23-27.
- Hooks et al. 2003 *op. cit.*
- Horgan, F. G., Ramal, A. F., Villegas, J. M., Almazan, M. L. P., Bernal, C. C., Jamoralin, A., Pasang, J. M., Orboc, G., Agreda, V., Arroyo, C. 2017. Ecological engineering with high diversity vegetation patches enhances bird activity and ecosystem services in Philippine rice fields. Regional Environmental Change **17**:1355-1367.
- Howard, K. A. a. M. D. J. 2014. Effects of natural habitat on pest control in california vineyards. Western Birds **45**:276-283.
- Howe, A. G., Nachman, G., Lovei, G. L. 2015. Predation pressure in Ugandan cotton fields measured by a sentinel prey method. Entomologia Experimentalis Et Applicata **154**:161-170.
- Howell, A. H. 1906. Birds that eat the cotton boll weevil: A report of progress. US Dept. of Agriculture.
- Jadav, P. C., R.D. Pathak, C.K. Borad and B.M. Parasharya. 2013. Community structure of insectivorous birds of cabbage fields. Journal of Biological Control **21**:135-138.
- Jedlicka et al. 2011 *op. cit.*
- Jedlicka et al. 2014 *op. cit.*
- Jedlicka J.A., L. D. K. C. T. M. 2014. Establishing songbird nest boxes increased avian insectivores and reduced herbivorous arthropods in a Californian vineyard, USA. Conservation Evidence, 11, 34-38. Conservation Evidence **11**:34-38.
- Joern, A. 1986. *op. cit.*
- Joern, A. 1992. *op. cit.*
- Johnson et al. 1987 *op. cit.*
- Johnson, M. D., Kellermann, J. L., Stercho, A. M. 2010. Pest reduction services by birds in shade and sun coffee in Jamaica. Animal Conservation **13**:140-147.
- Jones and Sieving 2006 *op. cit.*
- Jones et al. 2005a *op. cit.*
- Jones et al. 2005b *op. cit.*
- Jordani, M. X., Hasui, E., Silva, V. 2015. Natural enemies depend on remnant habitat size in agricultural landscapes. Journal of Forestry Research **26**:469-477.
- Kan, I., Y. Motro, N. Horvitz, A. Kimhi, Y. Leshem, Y. Yom-Tov, and R. Nathan. 2014. Agricultural rodent control using barn owls: Is it profitable? American Journal of Agriculture Economics **96**:733-752.
- Karp, D. S., Mendenhall, C. D., Sandi, R. F., Chaumont, N., Ehrlich, P. R., Hadly, E. A., Daily, G. C. 2013. Forest bolsters bird abundance, pest control and coffee yield. Ecology Letters **16**:1339-1347.
- Kay et al. 1994 *op. cit.*

- Kellermann, J. L., Johnson, M. D., Stercho, A. M., Hackett, S. C. 2008. Ecological and Economic Services Provided by Birds on Jamaican Blue Mountain Coffee Farms. *Conservation Biology* **22**:1177-1185.
- Kelly and McCallum 1990 *op. cit.*
- Khinchi, G. G. a. M. K. Y. 2014. Role of bird predators in the management of *Helicoverpa armigera* Hubnr. *International J. of Plant Protection* **7**.
- Killi, F., Kiliç, Bünyamin, Goner, Kahraman. 2004. The effect of different planting dates on the extent of bird damage in confection and oilseed sunflowers. *J. of Agronomy* **3**:36-39.
- Kirk et al. 1996 *op. cit.*
- Koh, L. P. 2008. Birds defend oil palms from herbivorous insects. *Ecological Applications* **18**:821-825.
- Kross and Baldwin 2016 *op. cit.*
- Kross et al. 2012. *op. cit.*
- Kross et al. 2016a *op. cit.*
- Kross and Baldwin 2016 *op. cit.*
- Kross, S. M., Bourbour, R. P., Martinico, B. L. 2016b. Agricultural land use, barn owl diet, and vertebrate pest control implications. *Agriculture Ecosystems & Environment* **223**:167-174.
- Labuschagne et al. 2016 *op. cit.*
- Lemessa et al. 2015 *op. cit.*
- Lindell et al. 2018 *op. cit.*
- Linz 2011 *op. cit.*
- Luck 2014 *op. cit.*
- Maas, B., Clough, Y., Tsharntke, T. 2013. Bats and birds increase crop yield in tropical agroforestry landscapes. *Ecology Letters* **16**:1480-1487.
- Maas, B., Tsharntke, T., Saleh, S., Putra, D. D., Clough, Y. 2015. Avian species identity drives predation success in tropical cacao agroforestry. *Journal of Applied Ecology* **52**:735-743.
- Machar et al. 2017 *op. cit.*
- MacLellan, C. 1958. Role of Woodpeckers in Control of the Codling Moth in Nova Scotia. *The Canadian Entomologist* **January**.
- MacLellan, C. 1959. Woodpeckers as Predators of the Codling Moth in Nova Scotia. *The Canadian Entomologist* **91**.
- MacLellan, C. 1961. Predator Populations and Predation on the Codling Moth in an Integrated Control Orchard - 1961. *in* E. Leroux, and Others, editor. *Population Dynamics of Agricultural and Forest Insect Pests*. Entomological Society of Canada.
- Mailloux, M., LeRoux, EJ. 1960. Further observations on the life-history and habits of the codling moth, *Carpocapsa pomonella* (L)(Lepidoptera: Tortricidae), in apple orchards of southwestern Quebec.
- Mangan, A. M., L. Pejchar, S. J. Werner. 2017. Bird use of organic apple orchards: Frugivory, pest control and implications for production. *PLoS ONE* **12**.
- Martin, E. A., Reineking, B., Seo, B., Steffan-Dewenter, I. *op. cit.*
- McAtee, W. L. 1911. Bird enemies of the codling moth. In *Yearbook of the United States*.
- McEwen et al. 1986 *op. cit.*

- Milligan, M. C., Johnson, M. D., Garfinkel, M., Smith, C. J., Njoroge, P. 2016. Quantifying pest control services by birds and ants in Kenyan coffee farms. *Biological Conservation* **194**:58-65.
- Mols and Visser 2002 *op. cit.*
- Mols and Visser 2007 *op. cit.*
- Naylor, R. 1996. Invasions in agriculture: Assessing the cost of the golden apple snail in Asia. *Ambio* **25**:443-448.
- Ndang'ang'a et al. 2013 *op. cit.*
- Novak and Torfeh 2017 *op. cit.*
- Odell 1927 *op. cit.*
- Orlowski et al. 2014 *op. cit.*
- Parasharya et al. 1996 *op. cit.*
- Peisley et al. 2016. *op. cit.*
- Peisley et al. 2017. *op. cit.*
- Perfecto, I., Vandermeer, J. H., Bautista, G. L., Nunez, G. I., Greenberg, R., Bichier, P., Langridge, S. 2004. Greater predation in shaded coffee farms: The role of resident neotropical birds. *Ecology* **85**:2677-2681.
- Philpott, S. M., Soong, O., Lowenstein, J. H., Pulido, A. L., Lopez, D. T., Flynn, D. F. B., DeClerck, F. 2009. Functional richness and ecosystem services: bird predation on arthropods in tropical agroecosystems. *Ecological Applications* **19**:1858-1867.
- Pienkowski and Beaufoy 2000 *op. cit.*
- Pinol, J., Espadaler, X., Canellas, N., Martinez-Vilalta, J., Barrientos, J. A., Sol, D. 2010. Ant versus bird exclusion effects on the arthropod assemblage of an organic citrus grove. *Ecological Entomology* **35**:367-376.
- Puckett et al. 2009 *op. cit.*
- Quiring, D. T., Timmins, P. R. 1988. Predation by American crows reduces overwintering European corn borer populations in Southwestern Ontario. *Canadian Journal of Zoology* **66** 2143-2145.
- Roland, J. 1994. After the decline - What maintains low winter moth density after successful biological-control? *Journal of Animal Ecology* **63**:392-398.
- Roland, J., Hannon, Susan J., Angela Smith, M. 1986. Foraging pattern of pine siskins and its influence on winter moth survival in an apple orchard. *Oecologia* **69**:47-52.
- Saunders, M. E., Luck, G. W. 2016. Combining Costs and Benefits of Animal Activities to Assess Net Yield Outcomes in Apple Orchards. *PLoS ONE* **11**:16.
- Schäckermann et al. 2015 *op. cit.*
- Shave et al. 2018. *op. cit.*
- Shave, M. E., and C. A. Lindell. 2017. Occupancy modeling reveals territory-level effects of nest boxes on the presence, colonization, and persistence of a declining raptor in a fruit-growing region. *PLoS ONE* **12**.
- Shivaleela, I. U. 2012. Management of pod borer *Helicoverpa Armigera* (Hubner) in chickpea ecosystem. University of Agricultural Sciences, Dharwad- 580 005, College Of Agriculture, Bijapur.
- Sinu, P. A. 2011. Avian pest control in tea plantations of sub-Himalayan plains of Northeast India: Mixed-species foraging flock matters. *Biological Control* **58**:362-366.

- Solomon, M. E., Glen D. M. *op. cit.*
- Solomon, M. E., Glen, D.M., Kendall, D.A., Milsom, N.F. *op. cit.*
- Somers et al. 2002 *op. cit.*
- Stairs, G. R. 1985. Predation on overwintering codling moth populations by birds. *Ornis Scandinavica*:323-324.
- Stewart and Craig 1989 *op. cit.*
- Stewart, P. A. 1975. Cases of birds reducing or eliminating infestations of tobacco insects. *The Wilson Bulletin* **87**:107-109.
- Strandberg 1981 *op. cit.*
- Strong et al. 2000 *op. cit.*
- Tamburini et al. 2016 *op. cit.*
- Tedders, W. L. 1983. Insect management in deciduous orchard ecosystems: Habitat manipulation. *Environmental Management* **7**:29-34.
- Thurston, R., Prachuabmoh, O. 1971. Predation by birds on tobacco hornworm larvae infesting tobacco. *Journal of Economic Entomology* **64**:1548-1549.
- Tremblay 1999 *op. cit.*
- Tremblay et al. 2001 *op. cit.*
- Van Bael, S. A., Bichier, P., Greenberg, R. 2007. Bird predation on insects reduces damage to the foliage of cocoa trees (*Theobroma cacao*) in western Panama. *Journal of Tropical Ecology* **23**:715-719.
- van Groenigen et al. 2003 *op. cit.*
- Wall, M. L., Whitcomb, W. H. 1964. The effect of bird predators on winter survival of the southwestern and European corn borers in Arkansas. *Journal of the Kansas Entomological Society* **37**:187-192.
- Walton 1916 *op. cit.*
- Wearing, C. H. 1975. Integrated control of apple pests in New Zealand: 3. Natural mortality of fifth-instar larvae of codling moth tagged with cobalt-58 in relation to their distribution. *New Zealand Journal of Zoology* **2**:151-168.
- Wendt and Johnson 2017 *op. cit.*
- Whitcomb 1971 *op. cit.*
- White et al. 2012 *op. cit.*
- Whitehead et al. 1995 *op. cit.*
- Winqvist et al. 2011 *op. cit.*
- Wolff, J. O., Fox, T., Skillen, R. R., Wang, G. M. 1999. The effects of supplemental perch sites on avian predation and demography of vole populations. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* **77**:535-541.
- Yasumoto, S., Yamaguchi, Yasuhiro, Yoshida, Hoshiko, Matsuzaki, Morio, Okada, Kensuke. 2012. Growth, yield and quality of bird-resistant sunflower cultivars found in genetic resources. *Plant Production Science* **15**:23-31.
- Zajac 1980 *op. cit.*