

GLYPHOSATE IN:

Ug Detected

Oatmeal

Ug Allowed

70.9



1275

1.5 oz of dry oatmeal. 1.67 ppm detected, FDA. 30 ppm allowed, EPA.

Left: amount of Glyphosate detected in North American food per ug/kg, portion size for 22 lb (10kg) child and on the Right: the amount of glyphosate residue allowed by the EPA for the same portion size. Ug= micrograms. Proposed NSRL =1100 micrograms per day.

More information at www.MomsAcrossAmerica.org a 501c3 June 2017

GLYPHOSATE IN:

Ug Detected

Hummus & Pita

Ug Allowed

1640



5100

3 ounces of hummus 12,699ppb and 3 ounces of wheat pita bread
6600 ppb detected, CFIA and 30 ppm allowed, EPA

Left: amount of Glyphosate detected in North American food per ug/kg, portion size for 22 lb (10kg) child and on the Right: the amount of glyphosate residue allowed by the EPA for the same portion size. Ug= micrograms. Proposed NSRL =1100 micrograms per day.

More information at [www. MomsAcrossAmerica.org](http://www.MomsAcrossAmerica.org) a 501c3 June 2017

GLYPHOSATE IN:

Ug Detected

Milk

Ug Allowed

30.7



?

3 ounces of whole milk 181 ppb detected.
No data for allowable level by the EPA.

Left: amount of Glyphosate detected in North American food per ug/kg, portion size for 22 lb (10kg) child and on the Right: the amount of glyphosate residue allowed by the EPA for the same portion size. Ug= micrograms. Proposed NSRL =1100 micrograms per day.

More information at www.MomsAcrossAmerica.org a 501c3 June 2017

GLYPHOSATE IN:

Corn Chips

Ug Detected

56

Ug Allowed

2547



3 ounces of chips 660 ppb, D.P./F.D.N.

30 ppm allowed, EPA

Left: amount of Glyphosate detected in North American food per ug/kg, portion size for 22 lb (10kg) child and on the Right: the amount of glyphosate residue allowed by the EPA for the same portion size. Ug= micrograms. Proposed NSRL =1100 micrograms per day.

More information at [www. MomsAcrossAmerica.org](http://www.MomsAcrossAmerica.org) a 501c3 June 2017

GLYPHOSATE IN:

Ug Detected

Berries

Ug Allowed

NA



22.6

4 ounces of berries .2 ppm allowed by the EPA

Left: amount of Glyphosate detected in North American food per ug/kg, portion size for 22 lb (10kg) child and on the Right: the amount of glyphosate residue allowed by the EPA for the same portion size. Ug= micrograms. Proposed NSRL =1100 micrograms per day.

More information at [www. MomsAcrossAmerica.org](http://www.MomsAcrossAmerica.org) a 501c3 June 2017

GLYPHOSATE IN:

Ug Detected

Pasta

Ug Allowed

226.3

560



Left: amount of Glyphosate detected in North American food per ug/kg, portion size for 22 lb (10kg) child and on the Right: the amount of glyphosate residue allowed by the EPA for the same portion size. Ug= micrograms. Proposed NSRL =1100 micrograms per day.

More information at [www. MomsAcrossAmerica.org](http://www.MomsAcrossAmerica.org) a 501c3 June 2017

GLYPHOSATE IN:

3 oz of wheat pasta 2666 ppb detected CFIA, 30 ppm allowed EPA. Sauce not included.

Ug Detected **Orange Juice** Ug Allowed

2.2



42.4

3 oz of no sugar added 100% orange juice 26 ppb detected, MAA
.50 ppm allowed, EPA

Left: amount of Glyphosate detected in North American food per ug/kg, portion size for 22 lb (10kg) child and on the Right: the amount of glyphosate residue allowed by the EPA for the same portion size. Ug= micrograms. Proposed NSRL =1100 micrograms per day.

More information at [www. MomsAcrossAmerica.org](http://www.MomsAcrossAmerica.org) a 501c3 June 2017

GLYPHOSATE IN:

Ug Detected

Water

Ug Allowed

257



700

8 glasses of 4 oz of unfiltered tap water- 257 ppb detected, DPR

Left: amount of Glyphosate detected in North American food per ug/kg, portion size for 22 lb (10kg) child and on the Right: the amount of glyphosate residue allowed by the EPA for the same portion size. Ug= micrograms. Proposed NSRL =1100 micrograms per day.

More information at [www. MomsAcrossAmerica.org](http://www.MomsAcrossAmerica.org) a 501c3 June 2017

GLYPHOSATE IN:

700 ppb allowed, EPA

Ug Detected

Eggs

Ug Allowed

14.3



4.2

3 oz of eggs- 169 ppb detected, ANH. 50 ppb allowed, EPA

Left: amount of Glyphosate detected in North American food per ug/kg, portion size for 22 lb (10kg) child and on the Right: the amount of glyphosate residue allowed by the EPA for the same portion size. Ug= micrograms. Proposed NSRL =1100 micrograms per day.

More information at [www. MomsAcrossAmerica.org](http://www.MomsAcrossAmerica.org) a 501c3 June 2017

GLYPHOSATE IN:

Ug Detected

Toast & Jam

Ug Allowed

187

(toast only)



1100

1 oz of toast, 6600 ppb detected CFIA & 1 tbsp of jam/sugar 25 ppm allowed, EPA

Left: amount of Glyphosate detected in North American food per ug/kg, portion size for 22 lb (10kg) child and on the Right: the amount of glyphosate residue allowed by the EPA for the same portion size. Ug= micrograms. Proposed NSRL =1100 micrograms per day.

More information at [www. MomsAcrossAmerica.org](http://www.MomsAcrossAmerica.org) a 501c3 June 2017

GLYPHOSATE IN:

Ug Detected

Total Intake

Ug Allowed

2484.4

2.2X



6251.2

5.6X

HIGHER

Than proposed NSRL
of 1100 ug

Left: amount of Glyphosate detected in North American food per ug/kg, portion size for 22 lb (10kg) child and on the Right: the amount of glyphosate residue allowed by the EPA for the same portion size. Ug= micrograms. Proposed NSRL =1100 micrograms per day.

More information at www.MomsAcrossAmerica.org a 501c3 June 2017