



Certificate of Analysis

Sample Description: almond milk
Client: Moms Across America Mission Viejo
Sample Volume: various

Sample Numbers: S0001862-1865, 1869
Receipt Date: 2017-09-29
Test Date: 2017-12-15
Shipment Temp: Ambient
Storage Temp: Ambient

Samples:				Results:		
Sample ID#	Sample Description/ UPC Code	Lot # and Expiration Date	Sample Volume (ml)	Glyphosate (ng/ml)	AMPA (ng/ml)	Effective Glyphosate Level (ng/ml)
S0001862, S0001863, S0001864, S0001865	Conventional almond milk (4 pooled samples)	various	15 ml of each sample, composited	0.67	0.13	0.87
S0001869	Organic almond milk	N/A	15 ml	0.07	Detected	0.07

Methods


Sample Analysis: HRI TM #8 "Glyphosate and AMPA Detection by LC-MS/MS"

Sample preparation employed a modification of the method described in Chamkasem, Narong, Cynthia Morris, and Tiffany Harmon. 2016. "Direct Determination of Glyphosate, Glufosinate, and AMPA in Milk by Liquid Chromatography/tandem Mass Spectrometry." *Journal of Regulatory Science* 3 (2): 20–26.

LC-MS/MS analysis employed a modification of the method described in Jensen, Pamela K., Chad E. Wujcik, Michelle K. McGuire, and Mark A. McGuire. 2016. "Validation of Reliable and Selective Methods for Direct Determination of Glyphosate and Aminomethylphosphonic Acid in Milk and Urine Using LC-MS/MS." *Journal of Environmental Science and Health, Part B* 51 (4): 254–59. doi:10.1080/03601234.2015.1120619.

Limit of Quantitation (LOQ) and Limit of Detection (LOD) are sub-part per billion for this method and are determined for each sample.

Effective Glyphosate Level calculated according to Food and Agriculture Organization (FAO) method where total glyphosate residue is the sum of the weight of glyphosate + 1.5 × the weight of its metabolite AMPA.



Dr. John Fagan, Sr. Scientist

P.O. Box 370
Fairfield, IA 52556
+1 641-552-6258