




**Certificate of Analysis**

Specimen Type:	Water ~Surface (FL, taken 10 am)	HRI Labs Sample No.:	S0003882
Client:	Moms Across America	Receipt Date:	2018-09-15
Sample Weight / Volume:	30 ml	Shipment Temp:	Ambient
		Storage Temp:	4°C

**Analysis: Results:**

<u>Residue:</u>	<u>Level:</u>	<u>Units:</u>
Glyphosate	0.558	ppb (ng/mL)
AMPA	0.106	ppb (ng/mL)
Effective Glyphosate Level	0.717	ppb (ng/mL)



**Methods**

Sample Analysis: HRI TM #6 "Glyphosate in water and urine, Cation H method"

Glyphosate LOQ = 0.025 ppb, LOD = 0.007 ppb  
 AMPA LOQ = 0.025 ppb, LOD = 0.014 ppb

Terms: "Trace" is between LOD and LOQ  
 "Not Detected" is less than LOD

Effective Glyphosate Level calculated according to Food and Agriculture Organization (FAO) method where total glyphosate residue is the sum of the weight of glyphosate + 1.5 × the weight of its metabolite AMPA.

Released on Behalf of HRI Laboratories by:

Dr. John Fagan, Chief Scientist

P.O. Box 370  
 Fairfield, IA 52556  
 +1 641-552-6258

This test was developed and its performance characteristics determined by Health Research Institute. It has not been cleared or approved by the US Food and Drug administration (FDA). The FDA has determined that such clearance or approvals are not necessary. This laboratory is registered under the Clinical Laboratory Improvement Amendments act of 1988 (CLIA-88) to perform high complexity clinical testing.

This test report is not to be reproduced, except in full, without written approval of the laboratory.